

Assay Result Highlights

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Ag g/t	Zn %	Cu %	U %	Zone	Notes	
GWY-01	140	-45	400.1	26.0	27.5	1.5	1.0					Pie de Gallo		
				29.0	32.1	3.1	1.1							
				67.2	77.7	10.5	2.0							
				including	67.2	68.7	1.5	11.7						
					85.2	93.0	7.8	1.8						
				including	85.2	88.2	3.0	0.9						
				including	89.7	93.0	3.3	3.4						
					106.5	112.5	6.0	1.2						
					114.0	115.5	1.5	1.0						
					120.0	121.5	1.5	0.6						
					124.5	129.0	4.5	1.5						
					317.0	324.5	7.5	13.5						
				including	317.0	321.5	4.5	22.4						
				including	318.5	321.5	3.0	32.8						
including	323.0	324.5	1.5	1.0										
GWY-02	140	-70	200.2	23.5	26.5	3.0	1.2					Pie de Gallo	Rods stuck at 200.2 m	
				31.0	32.5	1.5	0.8							
				35.5	37.0	1.5	2.1							
				48.9	50.5	1.6	0.8							
				65.5	85.0	19.5	0.7							
				92.5	97.0	4.5	0.7							
				104.2	105.5	1.3	0.7							
				115.5	154.0	38.5	2.5							
				including	115.5	146.5	31.0	2.9						
				including	115.5	131.5	16.0	3.9						
				including	124.0	125.5	1.5	29.1						
				including	134.5	146.5	12.0	2.3						
					163.0	169.0	6.0	0.9						
				GWY-03	0	-90	150.4	24.3	30.3	6.0	0.6			
34.8	42.3	7.5	0.6											
114.3	150.3	36.0	1.7											
including	114.3	129.3	15.0					1.2						
including	132.3	142.8	10.5					3.6						
GWY-04	320	-45	378.8								Pie de Gallo			
GWY-05	324	-50	56.6	6.6	17.0	10.4	1.4					Pie de Gallo	Abandoned at 56.6 m	
				including	8.5	11.5	3.0	3.0						
					32.0	33.5	1.5	1.2						
					36.5	38.0	1.5	3.2						
					50.5	52.0	1.5	0.7						
	55.0	56.6	1.6	1.1										

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Ag g/t	Zn %	Cu %	U %	Zone	Notes
GWY-06	340	-45	260.0	5.5	7.0	1.5	1.3					Pie de Gallo	
				20.5	22.0	1.5	12.1						
				28.0	34.0	6.0	1.6						
including				31.0	34.0	3.0	2.6						
				46.0	49.0	3.0	1.7						
				58.0	62.5	4.5	1.2						
				71.5	77.5	6.0	4.4						
including				73.0	74.5	1.5	15.5						
				80.5	83.5	3.0	0.9						
				94.0	104.5	10.5	1.4						
				127.0	134.5	7.5	0.9						
				140.0	141.5	1.5	0.5						
				143.0	144.5	1.5	0.7						
				146.0	147.5	1.5	0.7						
				150.5	152.0	1.5	1.2						
GWY-07	33	-50	307.8	28.5	30.0	1.5	0.9					Pie de Gallo	
				46.5	49.5	3.0	30.0						
				55.5	64.5	9.0	0.6						
				69.0	70.5	1.5	0.6						
				78.5	81.5	3.0	0.9						
				84.5	94.5	10.0	1.2						
				104.0	125.0	21.0	0.7						
				134.5	137.5	3.0	0.7						
				142.0	158.5	16.5	1.4	20.8					
				172.5	174.0	1.5	1.0						
				184.5	189.0	4.5	1.0						
GWY-08	355	-50	251.5	14.5	19.0	4.5	0.8					Pie de Gallo	
				20.5	23.5	3.0	1.4						
				38.5	40.0	1.5	0.8						
				53.5	55.0	1.5	0.8						
				62.5	74.5	12.0	0.7						
				92.5	94.0	1.5	0.5						
				127.5	130.5	3.0	0.5						
				151.5	153.5	2.0	0.5						
				235.0	236.5	1.5	4.1	>100					
GWY-09	5	-50	230.1	29.5	32.5	3.0	0.8					Pie de Gallo	
				56.5	79.0	22.5	2.0						
including				67.0	70.0	3.0	7.0						

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Ag g/t	Zn %	Cu %	U %	Zone	Notes
GWY-10	5	-65	250.5	6.5	9.5	3.0	1.4					Pie de Gallo	
				33.5	122.5	89.0	3.2						
including				33.5	39.5	6.0	1.5						
including				42.5	44.0	1.5	0.7						
including				45.5	48.5	3.0	0.8						
including				51.5	58.0	6.5	1.1						
including				61.0	67.0	6.0	1.4						
including				68.5	70.0	1.5	0.6						
including				71.5	73.0	1.5	0.9						
including				77.5	79.0	1.5	0.5						
including				83.5	97.0	13.5	15.6	181.5					
including				88.0	97.0	9.0	23.1						
including				91.0	94.0	3.0	50.0	383.0	8.0	1.4			
including				100.0	103.0	3.0	0.7						
including				107.5	109.0	1.5	1.0						
including				110.5	112.0	1.5	0.7	39.6		0.3			
including				118.0	121.0	3.0	1.6	63.3					
GWY-11	180	-51	328.9	32.5	34.0	1.5	0.6					NE Extension	
				159.0	160.5	1.5	1.7						
				172.5	174.0	1.5	0.5						
				178.5	180.0	1.5	0.9						
				190.5	192.0	1.5	0.5						
				198.0	199.5	1.5	0.5						
				207.0	208.5	1.5	0.8						
				235.5	237.0	1.5	16.4						
				240.0	243.0	3.0	2.6						
				250.5	253.5	3.0	0.7						
				264.0	285.0	21.0	1.1						
including				283.5	285.0	1.5	4.8						
				292.5	295.5	3.0	1.1						
				304.5	310.5	6.0	1.2	58.2					
GWY-12	180	-51	251.5	143.0	144.5	1.5	0.6					NE Extension	
				146.0	157.0	11.0	3.3					NE Extension	
including				149.0	151.9	2.9	7.2					NE Extension	
				184.0	185.8	1.8	0.8						
				214.5	217.5	3.0	1.8	20.2					
				240.0	245.5	5.5	3.8						
GWY-13	180	-62	300.2	3.5	47.5	44.0				0.4		NE Extension	
				89.5	95.5	6.0		46.0					
				123.0	124.5	1.5	0.5						
				147.0	148.7	1.7	0.6						
				194.0	195.5	1.5	1.1						
				197.0	200.0	3.0	0.6						
				258.5	260.0	1.5	1.3	120.0					

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Ag g/t	Zn %	Cu %	U %	Zone	Notes
GWY-14	195	-45	314.5	6.6	10.0	3.4		41.0				San Celestino	
				22.0	23.5	1.5	0.5						
				51.5	53.0	1.5	0.8						
				114.5	116.0	1.5	0.9						
				120.5	124.0	3.5	0.7						
				127.0	128.5	1.5	0.7						
				140.5	142.0	1.5	0.6						
				170.5	172.0	1.5	0.5						
				223.0	224.5	1.5	0.7						
				235.0	239.5	4.5	1.3	24.2					
				250.0	251.5	1.5	0.7						
				254.5	257.5	3.0	1.6						
				260.5	266.5	6.0	2.9						
				271.0	272.5	1.5	0.5	46.0					
				280.0	289.0	9.0	3.2	67.3					
including			287.5	289.0	1.5	7.5	170.0						
			299.5	301.0	1.5	0.9	24.0						
GWY-15	180	-72	311.5	5.0	46.0	41.0				0.3		NE Extension	
				142.0	143.5	1.5	0.7						
				203.5	205.0	1.5	0.7						
				208.0	211.0	3.0	1.4						
GWY-16	134	-57	216.4	2.5	26.5	24.0				0.2		NE Extension	
				87.0	93.0	6.0		100.0					
				105.0	112.5	7.5		27.0					
				132.0	135.0	3.0				0.4			
GWY-17	165	-45	200.6	24.0	28.6	4.6	4.3					San Celestino	
				39.1	40.5	1.4	0.6						
				48.0	49.5	1.5	1.5						
				99.0	107.1	8.1	1.4	20.6					
				118.5	126.0	7.5	1.4	15.4					
				133.5	138.0	4.5				0.4			
				145.4	146.9	1.5	0.5						
184.4	185.9	1.5					0.3						
GWY-18	180	-50	53.3									NE Extension	Abandoned at 53.3 m
GWY-19	180	-60	249.9	180.0	181.5	1.5	0.9					NE Extension	
				195.0	210.0	15.0	0.8						
				220.5	222.0	1.5	109.5	42.5					
				225.0	226.5	1.5	1.0						
GWY-20	165	-60	200.1	24.0	25.5	1.5	0.6					San Celestino	
				28.5	31.5	3.0	1.3						
				112.5	114.0	1.5	0.5	28.0					
				115.5	117.0	1.5	0.6						
				118.5	120.0	1.5	0.6						
				141.0	147.0	6.0	2.8						
				175.5	177.0	1.5	0.6						
184.5	186.0	1.5	1.4										

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Ag g/t	Zn %	Cu %	U %	Zone	Notes
GWY-21	180	-75	207.0	89.0	90.5	1.5	0.7					NE Extension	
				147.0	148.5	1.5	0.6						
				150.0	151.5	1.5	0.6						
GWY-22	160	-45	58.0	40.5	42.0	1.5	0.5					San Celestino	
				42.0	53.0	11.0	9.9	145.3					
				53.0	56.0	3.0	0.6						Abandoned at 58 m
				including	45.3	48.6	3.3	30.4	435.0	7.0			
GWY-23	160	-60	108.9	17.5	19.0	1.5	0.5					San Celestino	
				36.5	38.0	1.5	0.6						
				46.0	53.2	7.2	7.6	62.4					
				including	46.0	49.0	3.0	14.3	164.0	2.7			
				56.5	58.0	1.5	0.7	17.8					
				61.0	62.5	1.5	0.6						
				68.0	69.5	1.5	2.8						
71.0	72.5	1.5	0.6										
GWY-25	160	-75	220.0	70.0	73.0	3.0	0.7					San Celestino	
				83.5	85.0	1.5	7.6						
				98.5	100.0	1.5	1.1						
				101.5	103.0	1.5	0.7						
				112.0	136.0	24.0	pending						
				184.0	187.0	3.0	2.7						
				192.0	195.0	3.0	24.6	254.5					
				including	192.0	193.5	1.5	47.1	430.0				
152.5	155.5	3.0	1.2										