



**Table 1: Galway Resources California Assay Result Highlights**

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes
GWY-01	140	-45	400.10	26.00	27.50	1.50	1.03		7.13	1.19			Pie de Gallo	
				29.00	32.10	3.10	1.07	1.10	8.71	1.27				
				67.20	77.70	10.50	1.43	2.00	1.71	1.47				
				including	67.20	68.70	1.50	7.67	11.70	1.84	7.71			
				85.20	93.00	7.80	1.81	18.82	2.24					
				including	85.20	88.20	3.00	1.03	6.26	1.17				
				including	89.70	93.00	3.30	3.29	38.16	4.16				
				106.50	112.50	6.00	1.17	2.05	1.22					
				114.00	115.50	1.50	0.95	1.58	0.99					
				120.00	121.50	1.50	0.55	0.44	0.56					
				124.50	129.00	4.50	1.48	3.16	1.55					
				317.00	324.50	7.50	13.55	103.72	15.90					
				including	317.00	321.50	4.50	22.17	164.00	25.73				
				including	318.50	321.50	3.00	32.75	246.00	38.34				
				including	323.00	324.50	1.50	1.03	14.00	1.35				
				GWY-02	140	-70	200.20	23.50	26.50	3.00	1.31	1.20		
31.00	32.50	1.50	0.77						8.68	0.97				
35.50	37.00	1.50	1.15					2.10	1.91	1.19				
48.90	50.50	1.60	0.75					29.00	1.41					
65.50	85.00	19.50	0.70					6.80	0.85					
92.50	97.01	4.51	0.65					0.66	3.88	0.74				
104.24	105.50	1.26	0.67					1.92	0.71					
115.50	154.00	38.50	2.44					2.50	5.60	2.57				
including	115.50	146.50	31.00					3.32	2.90	6.22	3.46			
including	115.50	131.50	16.00					3.75	3.94	3.68	3.83			
including	124.00	125.50	1.50					40.05	29.10	4.47	40.15			
including	134.50	146.50	12.00					2.31	2.30	10.38	2.55			
163.00	169.00	6.00	0.94					0.85	5.76	1.07				
GWY-03	0	-90	150.40					24.30	30.30	6.00	0.55	0.56	8.22	0.74
				34.80	42.30	7.50	0.55	0.56	1.84	0.59				
				114.30	150.30	36.00	1.69	16.95	2.08					
				including	114.30	129.30	15.00	1.21	17.23	1.60				
				including	132.30	142.80	10.50	3.56	21.64	4.05				



Table 1: Galway Resources California Assay Result Highlights

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes
GWY-05 including	324	-50	56.63	6.60	17.00	<b>10.40</b>	<b>1.36</b>	<b>1.40</b>	3.37	1.44			Pie de Gallo	Abandoned at 56.6 m
				8.50	11.50	3.00	3.20	3.00	2.70	3.26				
				32.00	33.50	1.50	1.20		8.30	1.39				
				36.50	38.00	1.50	3.32	3.16	5.80	3.45				
				50.50	52.00	1.50	0.67	0.66	1.60	0.71				
				55.00	56.60	1.60	1.09		17.80	1.49				
GWY-06  including  including	340	-45	260.02	5.50	7.00	1.50	1.18	1.29	4.66	1.29			Pie de Gallo	
				20.50	22.00	<b>1.50</b>	<b>12.05</b>		8.64	12.25				
				28.00	34.00	6.00	1.98	1.55	7.42	2.15				
				31.00	34.00	3.00	2.59		12.33	2.87				
				46.00	49.00	3.00	1.73		20.90	2.21				
				58.00	62.50	4.50	1.24		13.58	1.55				
				71.50	77.50	<b>6.00</b>	<b>4.39</b>		8.27	4.58				
				73.00	74.50	<b>1.50</b>	<b>15.45</b>		8.71	15.65				
				80.50	83.50	3.00	0.85		9.15	1.06				
				94.00	103.00	9.00	1.46		7.81	1.64				
				127.00	134.50	7.50	0.88		16.25	1.25				
				140.00	141.50	1.50	0.53		0.79	0.55				
				143.00	144.50	1.50	0.71		1.30	0.74				
				146.00	147.50	1.50	0.74		10.95	0.99				
150.50	152.00	1.50	1.20		13.50	1.51								
GWY-07	33	-50	307.84	28.50	30.00	1.50	0.44	0.87	0.20	0.44			Pie de Gallo	
				46.50	49.50	<b>3.00</b>	<b>30.28</b>	<b>30.03</b>	3.10	30.35				
				55.50	64.50	9.00	0.54	0.59	2.60	0.60				
				69.00	70.50	1.50	0.86	0.60	6.90	1.02				
				78.50	81.50	3.00	0.93		30.00	1.61				
				84.50	94.50	10.00	1.30	1.20	6.29	1.44				
				104.00	125.00	21.00	0.77	0.72	14.30	1.10				
				134.50	137.50	3.00	0.68		15.90	1.04				
				142.00	158.50	<b>16.50</b>	<b>1.38</b>	<b>1.36</b>	<b>20.80</b>	<b>1.83</b>				
				172.50	174.00	1.50	1.03		11.10	1.28				
184.50	189.00	4.50	0.97		5.40	1.09								
GWY-08	355	-50	251.46	14.50	19.00	4.50	0.74	0.78	8.95	0.94			Pie de Gallo	
				20.50	23.50	3.00	1.44		2.55	1.50				
				38.50	40.00	1.50	0.76	0.82	2.01	0.81				
				53.50	55.00	1.50	0.82	0.84	6.27	0.96				
				62.50	74.50	12.00	0.73	0.71	6.20	0.87				
				92.50	94.00	1.50	0.53		2.65	0.59				
				127.50	130.50	3.00	0.53		6.30	0.67				
				151.50	153.50	2.00	0.58	0.51	4.32	0.68				
				235.00	236.50	1.50	4.24	4.12	<b>135.00</b>	<b>7.05</b>				



**Table 1: Galway Resources California Assay Result Highlights**

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes
GWY-09	5	-50	230.12	29.50	31.00	1.50	0.76	0.77	0.82	0.78			Pie de Gallo	
				56.50	79.00	<b>22.50</b>	<b>1.52</b>	<b>2.00</b>	7.37	1.69				
including				67.00	70.00	<b>3.00</b>	<b>6.61</b>	<b>7.03</b>	5.44	6.73				
GWY-10	5	-65	250.54	6.50	9.50	3.00	1.14	1.41	4.58	1.24			Pie de Gallo	
				33.50	122.50	<b>89.00</b>	<b>3.00</b>	<b>3.20</b>	36.23	3.82				
				including	33.50	39.50	6.00	1.42	1.50	1.97	1.46			
				including	42.50	44.00	1.50	0.70	3.18	0.77				
				including	45.50	48.50	3.00	0.81	9.97	1.04				
				including	51.50	58.00	6.50	1.10	9.42	1.31				
				including	61.00	67.00	6.00	1.47	8.52	1.66				
				including	68.50	70.00	1.50	0.56	4.08	0.65				
				including	71.50	73.00	1.50	0.91	5.19	1.03				
				including	77.50	79.00	1.50	0.53	3.54	0.61				
				including	83.50	97.00	<b>13.50</b>	<b>15.81</b>	<b>15.62</b>	<b>181.50</b>	<b>19.75</b>			
				including	86.50	95.50	<b>9.00</b>	<b>23.34</b>	<b>23.10</b>	<b>266.97</b>	29.41			
				including	89.50	92.50	<b>3.00</b>	<b>49.92</b>	<b>50.00</b>	<b>383.00</b>	<b>58.24</b>	8.00		1.40
				including	100.00	103.00	3.00	0.72	21.38	1.21				
				including	107.50	109.00	1.50	1.07	0.99	<b>53.50</b>	2.29			
including	110.50	112.00	1.50	0.74		<b>39.60</b>	<b>1.60</b>							
including	118.00	121.00	3.00	1.56		<b>63.25</b>	<b>2.93</b>		0.34					
GWY-11	180	-51	328.87	32.50	34.00	1.50	0.64		7.90	0.82			NE Zone	
				159.00	160.50	1.50	1.65	1.70	1.69					
				172.50	174.00	1.50	0.50	2.20	0.55					
				178.50	180.00	1.50	0.91	13.70	1.22					
				190.50	192.00	1.50	0.51	7.40	0.68					
				198.00	199.50	1.50	0.51	11.60	0.77					
				207.00	208.50	1.50	0.75	9.70	0.97					
				235.50	237.00	<b>1.50</b>	<b>9.70</b>	<b>16.40</b>	4.20	9.80				
				240.00	243.00	3.00	5.60	2.60	6.70	5.75				
				250.50	253.50	3.00	0.49	0.74	1.10	0.52				
				including	264.00	285.00	<b>21.00</b>	<b>1.01</b>	<b>1.13</b>	6.20	1.15			
				including	283.50	285.00	1.50	3.78	4.80	0.40	3.79			
				including	292.50	295.50	3.00	1.39	1.14	5.40	1.51			
				including	304.50	310.50	6.00	1.23	1.20	<b>58.20</b>	<b>2.49</b>			
				GWY-12	180	-51	251.46	142.95	144.45	1.50	0.62			7.51
145.95	156.97	<b>11.02</b>	<b>3.31</b>						7.04	3.47				
including	148.95	151.85	<b>2.90</b>					<b>7.17</b>	<b>7.20</b>	6.49	7.32			
183.97	185.75	1.78	0.89					0.83	8.93	1.09				
214.50	217.50	3.00	1.84					1.80	<b>20.20</b>	<b>2.28</b>				
240.00	245.50	<b>5.50</b>	<b>3.56</b>					<b>3.80</b>	9.08	3.77				
including	240.00	242.00	<b>2.00</b>					<b>8.20</b>	<b>8.40</b>	6.84	8.36			





**Table 1: Galway Resources California Assay Result Highlights**

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes	
<b>GWY-18</b>	180	-50	53.34										NE Zone	Abandoned at 53.3 m	
<b>GWY-19</b>	180	-60	249.93	180.00	181.50	1.50	0.55	0.94	1.95	0.59			NE Zone	VG; TW=1.0	
				195.00	210.00	<b>15.00</b>	<b>0.81</b>		6.02	0.95					
				220.50	222.00	<b>1.50</b>	<b>109.50</b>		<b>42.50</b>	<b>110.42</b>					
				225.00	226.50	1.50	0.58	0.97	3.40	0.66					
<b>GWY-20</b>	165	-60	200.10	24.00	25.50	1.50	0.62		13.30	0.92			San Celestino		
				28.50	31.50	3.00	1.08	1.29	9.08	1.29					
				112.50	114.00	1.50	0.53		<b>27.60</b>	<b>1.13</b>					
				115.50	117.00	1.50	0.62		12.75	0.91					
				118.50	120.00	1.50	0.62		8.32	0.81					
				141.00	147.00	<b>6.00</b>	<b>2.67</b>	<b>2.75</b>	11.22	2.93					
				175.50	177.00	1.50	0.50	0.57	6.07	0.64					
				184.50	186.00	1.50	1.46	1.40	3.39	1.54					
<b>GWY-21</b>	180	-75	206.95	89.00	90.50	1.50	0.71		4.11	0.80			NE Zone		
				147.00	148.50	1.50	0.57		0.56	0.58					
				150.00	151.50	1.50	0.68		0.41	0.69					
<b>GWY-22</b>	160	-45	58.00	40.50	42.00	1.50	0.52		1.34	0.55			San Celestino	Abandoned at 58 m	
				42.00	53.00	<b>11.00</b>	<b>10.28</b>	<b>9.94</b>	<b>145.30</b>	<b>13.44</b>	7.00				
				45.30	48.60	<b>3.30</b>	<b>31.36</b>	<b>30.37</b>	<b>441.60</b>	<b>40.95</b>					
				53.00	56.00	3.00	0.65	0.60	<b>13.78</b>	0.96					
<b>GWY-23</b>	160	-60	108.90	17.50	19.00	1.50	0.53	0.54	2.98	0.60				San Celestino	
				36.50	38.00	1.50	0.58		4.96	0.69					
				46.00	53.20	<b>7.20</b>	<b>7.99</b>	<b>7.60</b>	<b>62.40</b>	<b>9.35</b>	2.70				
				46.00	49.00	<b>3.00</b>	<b>15.08</b>	<b>14.25</b>	<b>164.00</b>	<b>18.64</b>					
				56.50	58.00	1.50	0.73		<b>17.80</b>	<b>1.12</b>					
				61.00	62.50	1.50	0.57		2.95	0.64					
				68.00	69.50	1.50	2.74	2.79	5.08	2.86					
				71.00	72.50	1.50	0.58		3.32	0.66					
<b>GWY-24</b>	160	-75	220.00	109.50	111.00	1.50	0.50		1.13	0.53				NE Zone	
<b>GWY-25</b>	160	-75	220.00	70.00	73.00	3.00	0.68		3.25	0.75				San Celestino	
				83.50	85.00	1.50	7.61		1.55	7.65					
				98.50	100.00	1.50	1.06		15.90	1.42					
				101.50	103.00	1.50	0.67		1.40	0.70					
				112.00	131.50	19.50	0.83		9.07	1.04					
				152.50	155.50	3.00	1.15		33.45	1.91					
				184.00	187.00	3.00	2.66		100.50	4.95					
				192.00	195.00	<b>3.00</b>	<b>24.22</b>	<b>24.60</b>	<b>254.50</b>	<b>29.75</b>					
				192.00	193.50	<b>1.50</b>	<b>46.37</b>	47.10	<b>430.00</b>	<b>55.71</b>					



**Table 1: Galway Resources California Assay Result Highlights**

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes						
GWY-26	180	-60	170.30	5.30	7.00	1.70	1.98	1.91	13.30	2.28			San Celestino							
				24.00	25.50	1.50	0.54	0.52	2.11	0.59										
				49.00	52.00	3.00	1.76		46.35	2.81										
				55.00	56.50	1.50	0.53		8.80	0.73										
				58.00	61.00	3.00	0.64		12.26	0.92										
				71.50	76.00	6.00	1.38		22.82	1.90										
				95.00	120.00	<b>25.00</b>	<b>3.60</b>		<b>18.08</b>	<b>3.99</b>										
				including	95.00	111.00	<b>16.00</b>	<b>5.35</b>	<b>5.40</b>	<b>24.90</b>	<b>5.89</b>									
				including	99.50	103.50	<b>4.00</b>	<b>16.45</b>	<b>16.50</b>	<b>84.90</b>	<b>18.29</b>	0.85								
				including	99.50	101.00	<b>1.50</b>	<b>27.40</b>		<b>146.00</b>	<b>30.57</b>	1.45								
					117.00	120.00	3.00	0.88		8.48	1.07									
				GWY-27	180	-85	201.16	128.00	129.50	1.50	0.60				0.57	0.61		NE Zone		
				143.20	149.00	5.80	1.44	1.43	6.71	1.59	7.60									
GWY-28	180	-75	172.00	16.00	17.50	1.50	1.19	0.80	7.06	1.35			San Celestino							
				26.00	29.00	3.00	4.30	4.37	8.75	4.50										
				52.50	54.00	1.50	0.92		9.42	1.13										
				73.50	76.50	3.00	0.95	1.10	2.40	1.00										
				84.00	85.50	1.50	1.40		0.27	1.41										
				105.00	106.50	1.50	0.63		0.15	0.63										
				including	134.00	143.00	<b>9.00</b>	<b>2.64</b>		10.20	2.87									
					134.00	135.50	1.50	6.77		20.90	7.25									
				GWY-29	197	-45	150.10	8.00	12.00	4.00	1.23	1.27			15.95	1.59			San Celestino	
								44.00	53.50	9.50	1.50	1.45			10.65	1.74				
				62.50	65.50	3.00	0.72		0.83	0.74										
				74.50	115.00	<b>40.50</b>	<b>1.47</b>	<b>1.48</b>	<b>21.70</b>	<b>1.94</b>										
including				103.00	104.50	1.50	12.59	12.95	<b>28.00</b>	<b>13.20</b>										
				136.00	139.00	3.00	0.93	0.94	22.05	1.43										



Table 1: Galway Resources California Assay Result Highlights

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes				
GWY-30	180	-60	251.46	4.40	6.80	2.40	0.86	0.78	35.40	1.67			NE Zone					
				71.50	74.50	3.00	0.90		17.10	1.29								
				77.50	79.00	1.50	0.62	0.55	8.33	0.81								
				80.50	82.00	1.50	1.56		10.70	1.80								
				85.00	86.50	1.50	1.48		35.80	2.29								
				100.00	103.00	3.00	0.56	0.53	11.93	0.83								
				110.50	112.00	1.50	0.89		13.70	1.20								
				118.00	203.50	<b>85.50</b>	<b>1.04</b>		<b>11.76</b>	<b>1.30</b>								
				118.00	133.00	15.00	0.88	0.89	12.38	1.16								
				133.00	140.50	7.50	0.23		4.34	0.33								
				140.50	203.50	63.00	1.18	1.26	<b>12.50</b>	<b>1.45</b>								
				194.50	196.00	<b>1.50</b>	<b>17.90</b>	<b>21.40</b>	9.83	18.12								
				209.50	211.00	1.50	2.45	1.90	2.32	2.50								
				214.00	215.50	1.50	0.81		4.17	0.90								
				220.00	221.50	1.50	0.41	0.52	2.60	0.47								
				GWY-31	180	-60	100.00	6.00	9.00	3.00	3.24	3.43			3.07	3.31		
including			6.00	7.50	1.50	5.86	6.25	<b>3.87</b>	<b>5.94</b>									
			96.00	97.50	1.50	0.79	0.71	9.97	1.02									
GWY-32	180	-70	300.22	12.00	13.50	1.50	0.48	0.51	1.70	0.52			NE Zone					
				18.90	22.00	3.10	0.53	0.52	28.33	1.17								
				35.50	41.50	6.00	1.39	1.38	104.30	3.66								
				87.00	90.00	3.00	3.38		46.20	4.43								
				119.00	121.50	2.50	0.51		5.96	0.65								
				132.00	133.50	1.50	1.97	1.45	1.59	2.01								
				138.00	139.50	1.50	0.57		1.46	0.60								
				142.50	144.00	1.50	0.88	0.94	9.50	1.10								
				147.00	295.50	<b>148.50</b>	<b>0.68</b>	<b>0.65</b>	<b>9.27</b>	<b>0.88</b>								
				147.00	154.50	7.50	0.61	0.60	7.52	0.78								
				159.00	164.00	5.00	0.91		16.91	1.29								
				167.00	168.50	1.50	0.79		13.90	1.11								
				207.00	208.50	1.50	8.07		5.68	8.20								
				216.00	228.00	12.00	0.26	0.30	7.55	0.43								
																		TW=0.9 TW=7.0



Table 1: Galway Resources California Assay Result Highlights

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes					
GWY-36	180	-75	350.21	19.00	21.70	2.70	2.22		86.33	4.18			NE Zone						
				59.50	64.50	5.00	0.96	0.92	22.36	1.47									
					68.75	70.00	1.25	0.52	30.05	1.20									
					74.50	76.00	1.50	0.55	25.40	1.13	0.52								
					77.50	79.00	1.50	0.83	17.90	1.24									
				including		97.00	100.00	3.00	5.18	5.97	151.30	8.47			1.53				
						98.50	100.00	1.50	9.68	11.25	257.00	15.26							
						145.00	146.50	1.50	0.53		4.73	0.64							
						152.50	155.75	3.25	1.93		24.51	2.49							
						205.50	207.00	1.50	0.61	0.51	8.48	0.80							
						214.30	216.00	1.70	1.99		27.80	2.62							
				including		225.00	228.50	3.50	2.17		5.44	2.29							
						226.50	228.50	2.00	3.32		6.40	3.47							
						264.50	266.00	1.50	0.57		5.04	0.68							
						279.50	282.50	3.00	0.92	0.97	11.73	1.19							
				including		303.50	350.20	46.70	0.53	0.54	17.56	0.93							
				including		303.50	305.00	1.50	2.72		269.00	8.84							
						309.50	336.50	27.00	0.57		11.67	0.84							
				GWY-37	195	-60	350.21	16.50	18.00	1.50	1.12	1.13		41.70	2.07			NE Zone	
								76.70	82.50	5.80	1.33	1.23		16.48	1.70				
	93.00	100.50	7.50					0.83	8.20	1.02									
	103.50	105.00	1.50					0.57	87.00	2.55									
	111.00	112.50	1.50					0.99	20.10	1.45									
including		120.00	241.50					121.50	4.62	2.67	10.01	4.84							
		162.00	241.50					79.50	6.78	3.80	10.05	7.00							
including		120.00	162.00					42.00	0.55	0.60	9.94	0.78							
including		162.00	163.50					1.50	309.50	151.50	190.00	313.63							
including		163.50	172.50					9.00	0.09	0.10	1.41	0.12							
including		172.50	241.50					69.00	1.07	1.10	7.27	1.24							
including		219.00	220.50					1.50	3.66	5.40	10.15	3.89							
including		237.00	238.50					1.50	4.82	4.80	14.90	5.16							
including		260.00	264.50					4.50	1.58	1.60	6.43	1.73							
		282.50	284.00					1.50	2.46	2.50	3.17	2.53							
		285.50	287.00					1.50	4.47	4.50	7.13	4.63							
		297.50	299.00					1.50	0.53	0.50	0.29	0.54							
		302.00	303.50					1.50	1.27		3.78	1.36							
		323.00	324.50					1.50	1.76		27.20	2.38							
		332.00	333.50					1.50	1.62		52.20	2.81							
		339.50	341.00	1.50	0.91	0.39	0.92	0.93											

TW=81.0  
 TW=53.0  
 TW=28.0  
 VG; TW=1.0  
 TW=6.0  
 TW=46.0  
 TW=1.0  
 TW=1.0





**Table 1: Galway Resources California Assay Result Highlights**

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes
GWY-46 including	0	-90	247.00	70.00	71.50	1.50	0.58	0.56	13.60	0.89			Pie de Gallo	
				89.00	104.50	<b>15.50</b>	<b>3.43</b>	<b>3.83</b>	<b>28.86</b>	<b>4.06</b>				
				89.00	90.50	<b>1.50</b>	<b>13.61</b>	<b>14.98</b>	<b>5.45</b>	<b>13.73</b>				
				110.50	112.00	1.50	0.63		25.50	1.21				
				133.00	140.50	7.50	1.49		37.78	2.35				
GWY-47 including	340	-45	282.54	4.00	48.00	<b>44.00</b>	<b>1.27</b>	<b>1.15</b>	<b>18.60</b>	<b>1.67</b>			NE Zone	TW=33.0 TW=7.7
				26.70	37.00	<b>10.30</b>	<b>2.62</b>	<b>2.06</b>	<b>28.76</b>	<b>3.24</b>				
				55.50	57.00	1.50	0.56		3.73	0.64				
GWY-49 including	220	-45	223.50	76.00	79.00	3.00	1.47	2.20	2.11	1.52			Pie de Gallo	
				95.50	98.50	3.00	2.31		4.70	2.42				
				125.50	127.50	2.00	1.61	3.07	0.87	1.63				
				141.50	143.50	2.00	0.80		19.90	1.25				
				159.50	173.50	<b>14.00</b>	<b>1.37</b>	<b>1.35</b>	6.14	1.51				
				167.50	171.50	4.00	3.33	3.27	<b>16.03</b>	<b>3.68</b>				
				209.50	211.50	2.00	0.92		0.80	0.94				
GWY-51 including	340	-60	297.18	3.50	5.00	1.50	0.78	0.92	11.50	1.04			NE Zone	TW=33.6 TW=8.0
				17.00	67.50	<b>50.50</b>	<b>1.44</b>	<b>1.43</b>	<b>18.26</b>	<b>1.84</b>				
				32.00	44.00	<b>12.00</b>	<b>2.98</b>	<b>2.96</b>	<b>38.13</b>	<b>3.81</b>				
				81.00	82.50	1.50	0.55	0.53	2.72	0.61				
				87.00	88.50	1.50	0.55	0.57	8.81	0.75				
				124.50	127.50	3.00	0.84		3.59	0.92				
GWY-52 including	220	-60	123.00	78.00	79.50	1.50	0.71		0.73	0.73			Pie de Gallo	
				82.50	85.50	<b>3.00</b>	<b>51.76</b>	<b>50.04</b>	<b>84.80</b>	<b>53.60</b>				
				82.50	84.00	<b>1.50</b>	<b>101.89</b>	<b>98.80</b>	<b>103.00</b>	<b>104.13</b>		0.90		
				106.50	112.50	6.00	1.27	1.04	6.03	1.41		1.30		
GWY-53 including  including  including including	320	-45	248.00	11.50	13.00	1.50	0.86		6.85	1.02			Pie de Gallo	
				14.50	16.00	1.50	0.61	0.87	2.30	0.66				
				20.30	25.30	<b>5.00</b>	<b>21.38</b>	<b>26.00</b>	8.51	21.57				
				20.30	22.30	<b>2.00</b>	<b>51.37</b>	<b>62.70</b>	<b>15.90</b>	<b>51.72</b>				
				26.80	28.30	1.50	0.90		3.84	0.99				
				34.30	37.30	3.00	1.04		6.49	1.19				
				49.20	55.20	<b>6.00</b>	<b>3.55</b>	<b>4.27</b>	6.02	3.69				
				53.70	55.20	<b>1.50</b>	<b>12.56</b>	<b>15.43</b>	10.45	12.80				
				65.70	67.20	1.50	0.98		12.05	1.25				
				71.70	73.20	1.50	0.61	0.65	3.64	0.69				
				76.20	143.50	<b>67.30</b>	<b>1.08</b>		8.41	1.27				
				106.20	107.70	<b>1.50</b>	<b>5.66</b>		4.74	5.77				
				127.20	128.50	<b>1.30</b>	<b>7.11</b>	<b>7.21</b>	<b>37.20</b>	<b>7.92</b>				



Table 1: Galway Resources California Assay Result Highlights

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes					
GWY-54	320	-55	302.50	19.00	20.50	1.50	0.77	0.80	1.90	0.81			Pie de Gallo						
				23.50	25.00	1.50	0.68		3.52	0.76									
				26.50	31.00	4.50	1.46	1.66	8.54	1.65									
				41.50	61.00	19.50	1.55	1.19	7.39	1.72									
				including	59.50	61.00	1.50	12.99	8.42	45.30	13.97								
					71.50	73.00	1.50	0.75		3.86	0.84								
					97.00	100.00	3.00	0.69		3.99	0.78								
					110.50	130.00	19.50	8.40	11.01	7.61	8.57								
				including	110.50	112.00	1.50	77.45	108.00	4.66	77.56								
				including	119.50	124.00	4.50	5.47	6.69	15.31	5.80								
					137.50	140.50	3.00	0.70		9.03	0.91								
					149.50	154.00	4.50	11.11	11.08	42.25	12.07								
				including	151.00	152.50	1.50	29.80		80.20	31.54								
					160.00	164.50	4.50	0.78		11.53	1.04								
				GWY-55	340	-68	373.00	6.50	9.50	3.00	0.67	0.72		5.77	0.80			NE Zone	
								16.00	29.50	13.50	2.27	2.25		7.70	2.45				
including	16.00	17.50	1.50					16.44	16.30	9.89	16.66								
	38.50	108.50	70.00					1.89	1.73	17.99	2.28								
including	77.00	86.00	9.00					5.13	4.45	14.69	5.46								
including	77.00	78.50	1.50					13.45	9.36	7.81	13.63								
including	104.00	105.50	1.50					9.66	5.37	7.64	9.83								
	122.00	123.50	1.50					0.53		10.45	0.77								
	125.00	126.50	1.50					0.61		2.19	0.66								
	131.00	134.00	3.00					1.10		1.90	1.14								
	159.50	161.00	1.50					0.71		11.00	0.96								
	293.00	296.00	3.00					1.24	0.94	0.55	1.25								
GWY-56	320	-45	226.00					29.60	31.10	1.50	0.86		4.34	0.96			Pie de Gallo		
				40.10	41.60	1.50	0.63		1.71	0.67									
				44.60	47.60	3.00	2.23	2.25	1.86	2.27									
				55.10	58.10	3.00	0.96		3.06	1.03									
				61.10	62.60	1.50	0.51		1.46	0.54									
				including	79.10	89.60	10.50	5.18		5.16	5.30								
					86.60	88.10	1.50	25.00		7.07	25.16								
					92.60	95.60	3.00	0.62		2.62	0.68								
					98.60	100.10	1.50	0.52		7.34	0.69								
					101.60	104.60	3.00	0.76		13.68	1.07								
					110.60	112.10	1.50	0.52		2.55	0.58								
					113.60	115.10	1.50	1.13		4.92	1.24								
					123.95	125.45	1.50	0.71		10.50	0.95								
					126.95	128.45	1.50	0.79		14.45	1.12								
					173.45	177.95	4.50	9.13		52.80	10.28	1.14							
				including	174.95	176.45	1.50	22.90		117.00	25.44	2.24							



**Table 1: Galway Resources California Assay Result Highlights**

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes
GWY-57	320	-55	282.00	19.50	22.50	3.00	0.88		0.84	0.90			Pie de Gallo	
				37.50	54.00	16.50	3.93	3.59	3.65	4.01				
				including	37.50	42.00	<b>4.50</b>	<b>11.65</b>	<b>1.86</b>	4.38	11.75			
				including	37.50	39.00	<b>1.50</b>	<b>20.94</b>	<b>18.55</b>	3.70	21.02			
				including	60.00	64.50	4.50	3.45	2.85	6.41	3.60			
				including	63.00	64.50	1.50	8.91	7.10	8.31	9.10			
				including	70.50	72.00	<b>1.50</b>	<b>0.58</b>		2.94	0.65			
				including	73.50	105.00	<b>31.50</b>	<b>2.01</b>	<b>1.85</b>	9.44	2.22			
				including	75.00	76.50	<b>1.50</b>	<b>9.09</b>	<b>12.25</b>	4.84	9.20			
				including	96.00	97.50	<b>1.50</b>	<b>17.60</b>	<b>10.80</b>	6.30	17.74			
				including	117.00	118.50	1.50	0.61		11.65	0.87			
				including	124.50	129.00	4.50	0.74	0.76	7.72	0.92			
				including	130.50	132.00	1.50	0.57		3.55	0.65			
				including	147.00	148.50	1.50	0.59		1.19	0.62			
				including	151.50	153.00	1.50	0.90		<b>17.35</b>	<b>1.28</b>			
				including	187.50	189.00	1.50	0.59	0.58	<b>21.50</b>	<b>1.06</b>			
				GWY-58	315	-70	200.70	10.50	12.00	1.50	0.62			1.78
16.50	18.00	1.50	0.59						3.36	0.67				
including	38.50	134.50	<b>96.00</b>					<b>1.63</b>	<b>17.54</b>	<b>2.01</b>				
including	49.00	50.50	<b>1.50</b>					<b>7.70</b>	<b>6.33</b>	11.05	7.95			
including	55.00	58.00	<b>3.00</b>					<b>3.72</b>	<b>3.73</b>	22.18	4.22			
including	92.50	94.00	<b>1.50</b>					<b>18.94</b>	<b>21.10</b>	13.15	19.24			
including	143.00	145.00	2.00					0.83		<b>17.95</b>	<b>1.22</b>			
including	153.00	155.00	2.00					0.54		10.35	0.78			
GWY-59	320	-65	305.00	15.00	16.50	1.50	0.59		1.94	0.63			Pie de Gallo	
				20.50	22.00	1.50	1.60		2.56	1.66				
				including	39.00	57.00	18.00	1.16		3.94	1.25			
				including	39.00	40.50	1.50	3.46		4.68	3.57			
				including	48.00	49.50	1.50	4.67		14.55	5.00			
				including	55.50	57.00	1.50	3.25		6.93	3.41			
				including	67.50	70.50	3.00	3.13	3.51	7.28	3.29			
				including	79.50	91.30	11.80	0.75	0.79	9.41	0.96			
				including	100.30	102.00	1.70	0.57	0.73	5.25	0.69			
				including	106.50	114.00	<b>7.50</b>	<b>3.83</b>	<b>3.08</b>	2.56	3.89			
				including	106.50	108.00	<b>1.50</b>	<b>8.32</b>		1.28	8.35			
				including	129.00	130.50	1.50	0.61		1.98	0.66			
				including	135.00	139.50	4.50	3.14	1.03	1.95	3.18			
				including	151.50	153.00	1.50	0.96	0.67	1.15	0.99			
				including	157.50	159.00	1.50	0.78		0.73	0.80			
				including	168.00	171.00	3.00	1.12		2.70	1.18			
				including	181.50	206.50	<b>25.00</b>	<b>3.13</b>	<b>2.41</b>	<b>227.69</b>	<b>8.08</b>			
				including	186.00	198.00	<b>12.00</b>	<b>5.83</b>	<b>4.30</b>	458.58	16.26			
				including	186.00	189.00	<b>3.00</b>	<b>17.57</b>	<b>11.56</b>	<b>1730.00</b>	<b>55.15</b>			1.64
including	224.50	230.50	6.00	1.74	1.72	10.74	1.98							



Table 1: Galway Resources California Assay Result Highlights

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes										
GWY-60 including	320	-65	385.00	41.50	58.00	16.50	1.45	1.48	4.56	1.55			Pie de Gallo											
				43.00	49.00	6.00	2.91		4.12	3.00														
				66.50	67.50	1.00	0.64		<b>14.40</b>	<b>0.95</b>														
				72.00	81.50	9.50	1.25		9.21	1.46														
				86.50	88.00	1.50	1.69		1.72	7.20					1.85									
				95.50	179.50	84.00	1.24		<b>11.54</b>	<b>1.49</b>														
				98.50	101.50	<b>3.00</b>	<b>10.55</b>		8.47	10.74														
				110.50	112.00	1.50	5.40		4.83	4.73					5.51									
				115.00	116.50	1.50	4.85		5.69	3.33					4.93									
				205.00	236.50	<b>31.50</b>	<b>1.71</b>		<b>1.70</b>	<b>26.31</b>					<b>2.28</b>									
				224.50	233.50	<b>9.00</b>	<b>2.64</b>		<b>2.61</b>	<b>58.06</b>					<b>3.90</b>									
				295.00	296.50	1.50	0.31		0.62	1.55					0.35									
				344.50	346.00	1.50	0.91		2.44	0.97														
				GWY-61	315	-60	400.00		2.00	5.15					3.15	1.08		<b>60.73</b>	<b>2.40</b>			NE Zone		
14.30	59.30	45.00	0.90					<b>16.97</b>	<b>1.27</b>															
72.80	77.30	4.50	0.59					10.30	0.82															
80.30	81.80	1.50	0.28					1.24	4.24	0.38														
87.80	93.80	6.00	0.98					0.83	2.48	1.04														
129.80	131.30	1.50	0.62					<b>368.00</b>	<b>8.61</b>															
332.50	334.00	1.50	0.98					<b>42.10</b>	<b>1.89</b>															
GWY-62 including	135	-65	351.00					40.00	43.00	3.00	3.70	3.62	<b>9.36</b>	3.91				Pie de Gallo						
								40.00	41.50	<b>1.50</b>	<b>6.85</b>		<b>6.58</b>	14.95										7.19
								47.50	53.50	6.00	0.76		2.93	0.83										
				61.00	62.50	1.50	0.64	5.88	0.77															
				67.00	68.50	1.50	0.66	2.62	0.72															
				74.50	76.00	1.50	0.55	10.35	0.79															
				77.50	101.50	<b>24.00</b>	<b>7.49</b>	<b>8.42</b>	8.75	7.69														
				83.50	85.00	<b>1.50</b>	<b>98.60</b>	<b>112.00</b>	<b>28.90</b>	<b>99.23</b>														
				95.50	100.00	4.50	3.92	5.65	4.05															
				128.50	149.50	<b>21.00</b>	<b>1.82</b>	<b>1.73</b>	1.80	1.86														
146.50	149.50	<b>3.00</b>	<b>7.05</b>	<b>6.51</b>	4.91	7.16																		
163.00	164.50	1.50	0.66	0.74	0.68																			
172.00	173.50	1.50	1.03	2.22	1.08																			
180.00	195.00	15.00	0.79	3.25	0.86																			
180.00	181.50	1.50	2.64	6.49	2.79																			
192.00	193.50	1.50	1.70	6.30	1.84																			
213.00	232.50	<b>19.50</b>	<b>1.22</b>	3.34	1.30																			
220.50	222.00	1.50	5.23	9.18	5.44																			
241.50	246.00	<b>4.50</b>	<b>24.97</b>	<b>20.04</b>	3.02	25.04																		
243.00	244.50	<b>1.50</b>	<b>45.10</b>	3.90	45.19																			
259.50	262.50	3.00	0.72	10.14	0.95																			
264.00	265.50	1.50	0.61	14.70	0.94																			
268.50	270.00	1.50	0.62	11.25	0.88																			
277.50	279.00	1.50	0.79	1.23	0.82																			
319.50	321.00	1.50	0.52	11.00	0.77																			
340.50	342.00	1.50	1.23	6.12	1.37																			



Table 1: Galway Resources California Assay Result Highlights

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes
GWY-63	165	-45	422.00	26.50	37.00	10.50	0.63	0.66	5.19	0.75	0.97		Pie de Gallo	
				41.50	44.50	3.00	0.89	0.92	3.32	0.97				
				53.00	55.50	2.50	0.66		3.04	0.73				
				179.00	195.00	16.00	3.29	3.32	6.78	3.44				
				189.00	193.00	4.00	10.85	10.99	2.40	10.90				
				255.00	263.00	8.00	2.10	2.09	77.13	3.77				
				361.00	363.00	2.00	0.98	1.01	24.20	1.50				
including														
GWY-64	135	-80	368.00	59.50	76.00	16.50	3.85	3.86	30.53	4.51	1.49	4.25	Pie de Gallo	
				61.00	62.50	1.50	4.08	5.11	58.80	5.36				
				67.00	71.50	4.50	9.47	9.14	37.63	10.29				
				67.00	68.50	1.50	13.71	12.70	56.70	14.94				
				77.50	79.30	1.80	0.56		19.60	0.98				
				91.00	101.50	10.50	0.67		17.01	1.04				
				112.00	113.50	1.50	0.55		2.46	0.61				
				116.50	118.00	1.50	1.36		14.60	1.68				
				149.00	159.00	10.00	2.06	2.11	6.97	2.22				
				155.00	157.00	2.00	6.26	6.50	9.42	6.47				
				161.00	163.00	2.00	0.50		7.51	0.67				
				257.00	269.00	12.00	1.75	1.73	2.12	1.80				
				315.00	317.00	2.00	7.75	6.93	1.72	7.78				
				345.00	347.00	2.00	1.05		2.70	1.11				
				355.00	363.00	8.00	3.34	3.81	4.58	3.44				
				359.00	361.00	2.00	9.14	11.00	7.49	9.31				
including														
GWY-65	315	-77	400.20	14.20	22.00	7.80	0.82		9.46	1.04	1.40	1.49	NE Zone	TW=5.9 TW=5.0
				38.50	40.00	1.50	0.68		23.70	1.19				
				43.00	71.50	28.50	0.83		16.41	1.19				
				83.50	107.50	24.00	0.69		10.64	0.93				
				113.50	115.00	1.50	0.61		11.90	0.86				
				118.00	128.50	10.50	0.81		6.58	0.96				
				134.50	139.00	4.50	1.12	1.10	13.21	1.41				
				148.00	203.50	55.50	0.88		13.12	1.16				
				172.00	175.00	3.00	4.62	4.63	68.51	6.11				
				217.00	312.50	95.50	1.01	1.02	14.96	1.34				
				291.50	293.00	1.50	3.53	3.48	27.10	4.12				
				330.50	332.00	1.50	0.57		1.01	0.59				
				339.50	347.00	7.50	6.12	5.51	43.09	7.06				
				344.00	345.50	1.50	25.17	22.10	189.00	29.28				
				353.00	354.50	1.50	0.82		4.90	0.93				
				362.00	366.50	4.50	1.57	1.19	3.56	1.65				
				372.50	374.00	1.50	1.48	1.33	4.67	1.59				
378.50	380.00	1.50	0.75	0.74	7.24	0.91								
including													TW=11.65 TW=0.64 TW=20.0 TW=0.32	
including														TW=1.57 TW=0.32



**Table 1: Galway Resources California Assay Result Highlights**

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes
GWY-66 including	165	-60	251.50	22.00	34.00	12.00	2.09	2.22	2.17	2.14			Pie de Gallo	
				22.00	25.00	3.00	5.34	5.88	2.74	5.40				
				47.50	49.00	1.50	0.54		1.81	0.58				
				58.00	61.00	3.00	0.70		9.19	0.91				
				64.00	65.50	1.50	0.69		1.47	0.72				
				85.00	89.50	4.50	0.78		25.50	1.33				
				112.00	122.00	10.00	1.19		6.71	1.34				
				130.00	140.00	10.00	1.06		1.23	1.08				
				188.00	190.00	2.00	0.60		3.76	0.68				
				208.00	210.00	2.00	2.72		2.04	2.77				
				240.00	246.00	6.00	3.38		0.41	3.38				
				including			240.00	242.00	2.00	9.13	9.06	0.64		9.14
GWY-67	0	-90	449.70	52.00	53.50	1.50	0.54	0.55	5.64	0.67			Pie de Gallo	
				70.00	71.50	1.50	0.81	0.86	9.13	1.02				
				82.00	83.50	1.50	1.20	0.96	7.69	1.37				
				86.50	88.00	1.50	0.68	0.70	2.97	0.75				
				92.50	94.00	1.50	0.60		7.03	0.76				
				100.00	124.00	24.00	0.98		34.75	1.73				
				142.00	144.00	2.00	0.47	0.51	7.36	0.64				
				268.00	270.00	2.00	0.59		5.41	0.71				
GWY-68	154	-65	211.00	19.00	22.00	3.00	2.06	1.59	10.28	2.28			Pie de Gallo	
				26.50	29.50	3.00	0.79		40.27	1.67				
				50.50	52.00	1.50	0.63		6.84	0.79				
				58.00	70.00	12.00	0.97		8.20	1.16				
				74.50	76.00	1.50	0.60		3.52	0.68				
				79.00	80.50	1.50	0.64		7.74	0.81				
				92.50	94.00	1.50	0.57		5.26	0.69				
				104.00	164.00	60.00	0.69		5.55	0.82				
GWY-69	150	-65	275.50	17.50	19.00	1.50	1.00		15.60	1.34			Pie de Gallo	
				30.00	41.50	11.50	0.93	0.96	2.27	0.98				
				64.00	66.00	2.00	0.67	0.63	4.74	0.78				
				78.00	80.00	2.00	1.64		27.50	2.23				
				86.00	88.00	2.00	0.55		15.80	0.89				
				100.00	102.00	2.00	0.76		8.58	0.96				
				106.00	110.00	4.00	2.17	2.16	30.80	2.84				
				125.00	129.00	4.00	8.52		3.14	8.59				
				125.00	127.00	2.00	16.50		3.34	16.58				
				133.00	135.00	2.00	0.92		0.96	0.94				
				151.00	153.00	2.00	0.50		0.79	0.52				
				155.00	161.00	6.00	36.85	32.75	3.56	36.93				
including			155.00	157.00	2.00	104.70	92.40	6.74	104.85					
GWY-70	315	-45	280.40	11.50	13.00	1.50	0.65	0.57	20.90	1.10			NE Zone	
				14.50	44.50	30.00	1.39	1.38	29.09	2.02				
				25.00	26.50	1.50	4.17		177.00	8.02	1.06			
				52.00	53.50	1.50	0.35	0.53	0.98	0.37				
				59.50	62.50	3.00	46.97		8.93	47.17				
				59.50	61.00	1.50	92.70		15.60	93.04				
				70.00	71.50	1.50	1.01	1.74	1.46	1.04				
				including										
including													TW=1.8 TW=0.9	



Table 1: Galway Resources California Assay Result Highlights

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes
GWY-71 including   including including including including  including  including	135	-70	320.40	40.20	52.00	11.80	1.39	1.38	8.82	1.59			Pie de Gallo	
				47.50	49.00	1.50	3.38	43.50	4.37					
				60.00	62.00	2.00	0.56	7.81	0.73					
				68.00	70.00	2.00	1.25	2.29	1.30	1.14				
				78.00	137.00	59.00	1.67	3.19	1.74					
				78.00	80.00	2.00	3.16	4.28	3.26					
				95.00	99.00	4.00	6.44	3.75	6.53					
				123.00	125.00	2.00	6.67	3.98	6.76					
				135.00	137.00	2.00	5.68	4.69	5.79					
				143.00	145.00	2.00	0.74	1.33	0.77					
				177.00	203.00	26.00	1.77	9.27	1.98					
				201.00	203.00	2.00	9.27	5.35	9.39					
				215.00	225.00	10.00	10.03	5.50	10.15					
				219.00	223.00	4.00	22.35	5.82	22.48					
				227.00	229.00	2.00	0.56	1.32	0.59					
				235.00	237.00	2.00	0.51	2.19	0.56					
				245.00	247.00	2.00	1.56	1.24	1.59					
				259.00	267.00	8.00	1.05	2.08	1.09					
287.00	295.00	8.00	0.65	5.24	0.77									
GWY-72	150	-70	280.00	25.00	26.50	1.50	0.76	0.62	1.24	0.79			Pie de Gallo	
				37.00	41.50	4.50	1.27	1.29	3.62	1.35				
				50.50	52.00	1.50	0.52	4.37	0.62					
				58.00	59.50	1.50	0.55	2.95	0.61					
				61.00	62.50	1.50	0.55	2.82	0.61					
				64.00	79.00	15.00	0.86	19.49	1.28	0.85				
				89.50	91.00	1.50	0.53	3.93	0.62					
				94.00	95.50	1.50	0.62	3.91	0.71					
				97.00	98.50	1.50	0.51	2.08	0.56					
				100.00	126.00	26.00	0.95	14.43	1.26					
				136.00	138.00	2.00	17.03	4.07	17.12	0.51				
				144.00	160.00	16.00	4.40	2.80	4.46					
				158.00	160.00	2.00	27.80	2.99	27.87					
				GWY-73	170	-60	111.50							



**Table 1: Galway Resources California Assay Result Highlights**

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes
GWY-74  including	150	-80	298.20	16.00	18.00	2.00	4.89	5.51	5.50	5.02			Pie de Gallo	
				26.50	29.50	3.00	0.74		2.12	0.79				
				37.00	38.50	1.50	0.65	0.67	2.65	0.71				
				43.00	46.00	3.00	0.87		<b>21.08</b>	<b>1.33</b>				
				56.50	79.00	<b>22.50</b>	<b>6.96</b>	<b>7.80</b>	<b>16.54</b>	<b>7.32</b>				
				76.00	77.50	<b>1.50</b>	<b>90.75</b>	<b>102.50</b>	9.11	90.96				
				91.00	107.00	16.00	1.10	1.09	<b>17.54</b>	<b>1.48</b>				
				113.00	115.00	2.00	0.80		9.86	1.02				
				129.00	136.00	7.00	0.81		<b>19.99</b>	<b>1.25</b>				
				138.00	140.00	2.00	0.67		6.97	0.83				
				156.00	158.00	2.00	2.62	1.86	5.12	2.74				
				180.00	182.00	2.00	0.93		1.20	0.96				
				200.00	202.00	2.00	0.53		3.14	0.60				
				208.00	210.00	2.00	1.12		<b>21.30</b>	<b>1.58</b>				
				212.00	214.00	2.00	0.58		5.18	0.70				
				222.00	226.00	4.00	0.65		<b>11.85</b>	<b>0.90</b>				
				244.00	250.00	6.00	1.06		7.17	1.23				
				258.00	260.00	2.00	0.55		5.05	0.66				
				266.00	268.00	2.00	0.61		1.08	0.64				
				270.00	272.00	2.00	0.76		2.49	0.82				
278.00	298.20	20.20	0.88	0.90	7.28	1.05								
GWY-75	170	-70	352.90	92.50	94.00	1.50	0.59						Pie de Gallo	
GWY-76  including	140	-50	100.58	93.00	94.50	1.50	4.80	4.75	<b>231.00</b>	<b>9.82</b>			Pie de Gallo/NE Gap	
				112.50	129.00	<b>16.50</b>	<b>7.08</b>	<b>8.11</b>	7.50	7.25				
				114.00	115.50	<b>1.50</b>	<b>69.20</b>	<b>80.00</b>	22.80	69.71				
				130.50	132.00	1.50	0.72		4.46	0.82				
				160.00	178.00	18.00	0.72		<b>15.39</b>	<b>1.05</b>				
				185.50	187.50	2.00	1.04	1.19	2.74	1.10				
				197.00	198.50	1.50	0.83		9.88	1.06				
				204.50	206.00	1.50	0.52		6.61	0.67				
				209.00	213.50	4.50	0.70		6.72	0.85				
				218.00	222.50	4.50	0.74		8.66	0.94				
				225.50	227.00	1.50	0.68		6.91	0.84				
				228.50	233.00	4.50	1.03		9.72	1.25				
				234.50	236.00	1.50	0.64		5.09	0.75				
				237.50	239.00	1.50	0.51		6.92	0.67				
				248.00	249.50	1.50	1.00		4.55	1.10				



**Table 1: Galway Resources California Assay Result Highlights**

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes
GWY-77	135	-45	398.50	29.50	31.00	1.50	0.55		1.29	0.58			Pie de Gallo	
				32.50	34.00	1.50	0.54		3.22	0.62				
				43.00	44.50	1.50	0.77		<b>10.01</b>	<b>0.98</b>				
				76.00	78.00	2.00	1.05	0.86	3.02	1.12				
				94.00	96.00	2.00	1.02	0.94	2.78	1.08				
				102.00	106.50	4.50	0.74	0.82	5.63	0.87				
				176.50	179.00	2.50	0.64	1.28	1.49	0.67				
				244.50	246.50	2.00	1.19	2.38	<b>40.80</b>	<b>2.08</b>				
				262.50	267.00	4.50	2.15	2.14	<b>26.10</b>	<b>2.72</b>				
				273.00	275.00	2.00	1.63		<b>13.30</b>	<b>1.91</b>				
				327.00	329.00	2.00	1.62		<b>28.60</b>	<b>2.24</b>				
				355.00	369.00	14.00	1.50	1.57	<b>45.71</b>	<b>2.49</b>				
				359.00	361.00	2.00	4.95	4.98	<b>241.00</b>	<b>10.19</b>				
				371.00	373.00	2.00	0.67		<b>15.10</b>	<b>1.00</b>				
				GWY-78	135	-55	284.50	25.00	26.50	1.50	0.82	0.61		0.72
38.50	41.50	3.00	0.80					0.79	4.71	0.91				
44.50	46.00	1.50	0.61					0.59	3.75	0.70				
59.50	61.00	1.50	0.82					1.39	1.44	0.85				
115.50	117.00	1.50	0.56					0.58	4.79	0.67				
121.50	123.00	1.50	0.51						1.35	0.54				
126.00	127.50	1.50	1.57						1.79	1.61				
GWY-79	315	-45	329.20					18.00	40.00	22.00	1.27	1.24	<b>11.18</b>	<b>1.51</b>
				41.50	43.00	1.50	0.62		<b>14.05</b>	<b>0.92</b>				
				56.50	59.50	3.00	0.58	0.59	6.27	0.72				
				62.50	64.00	1.50	0.53		2.59	0.59				
				101.00	103.00	2.00	2.05	0.83	4.01	2.14				
				111.00	113.00	2.00	1.62	1.54	<b>78.30</b>	<b>3.32</b>				
				115.00	117.00	2.00	0.58	0.55	<b>18.30</b>	<b>0.98</b>				
GWY-80	135	-65	263.50	23.50	26.00	2.50	0.58	0.73	3.46	0.66			Pie de Gallo	
				40.00	43.00	3.00	0.75	0.79	1.62	0.79				
				44.50	46.00	1.50	0.45	0.73	2.59	0.51				
				61.00	62.50	1.50	0.75	0.72	5.71	0.88				
				73.00	74.50	1.50	0.65		<b>11.95</b>	<b>0.91</b>				
				92.50	94.00	1.50	1.04	1.06	<b>27.70</b>	<b>1.64</b>				
				101.50	104.50	3.00	1.42	1.41	<b>15.88</b>	<b>1.76</b>				
				122.50	127.00	<b>4.50</b>	<b>2.25</b>	<b>1.26</b>	3.11	2.32				
				130.00	131.50	1.50	0.52		1.19	0.55				
				137.50	139.00	1.50	3.03		<b>14.85</b>	<b>3.35</b>				
GWY-81	135	-75	220.90	41.50	44.50	3.00	1.04		<b>24.20</b>	<b>1.56</b>			Pie de Gallo	
				65.50	75.50	10.00	1.56		<b>15.35</b>	<b>1.89</b>				
				85.50	97.50	12.00	1.54		2.46	1.60				
				85.50	87.50	2.00	4.20		1.56	4.24				
				108.50	110.50	2.00	0.70		4.73	0.81				
				112.50	114.50	2.00	0.84		787.00	18.74				
				125.50	136.00	10.50	1.02		<b>11.41</b>	<b>1.27</b>				
				146.50	150.50	4.00	0.64		4.30	0.74				
				154.50	169.50	15.00	3.18		3.94	3.27				
				164.50	167.50	<b>3.00</b>	<b>11.50</b>		3.00	11.57				
				181.50	183.50	2.00	0.69		2.38	0.74				
				187.50	191.50	<b>4.00</b>	<b>176.18</b>		19.59	176.63				
187.50	189.50	<b>2.00</b>	<b>350.00</b>		<b>37.90</b>	<b>350.82</b>								
211.50	213.50	2.00	1.58		3.85	1.66								



**Table 1: Galway Resources California Assay Result Highlights**

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes					
GWY-82 including	315	-60	338.00	10.50	12.00	1.50	0.57		1.31	0.60			Pie de Gallo/NE Gap						
				24.00	31.50	<b>7.50</b>	<b>2.01</b>	9.81	2.23										
				25.50	27.00	1.50	7.19	13.90	7.51										
				39.00	43.50	4.50	0.78	<b>11.82</b>	<b>1.03</b>										
				49.50	56.50	<b>7.00</b>	<b>1.07</b>	<b>12.38</b>	<b>1.34</b>										
				68.00	70.00	2.00	0.81	7.43	0.98										
				72.00	74.00	2.00	0.64	4.83	0.75										
				90.00	92.00	2.00	0.51	1.04	0.53										
				104.00	106.00	2.00	0.67	5.76	0.80										
				116.00	118.00	2.00	0.67	4.28	0.77										
				124.00	130.00	6.00	0.80	7.01	0.96										
				138.00	140.00	<b>2.00</b>	<b>2.94</b>	0.80	2.96										
				152.00	156.00	4.00	0.57	6.30	0.72										
				GWY-83 including including	135	-80	323.70	43.00	50.50	7.50	1.08			<b>31.65</b>	<b>1.76</b>			Pie de Gallo	
56.50	61.70	5.20	0.91					<b>13.18</b>	<b>1.19</b>										
71.70	167.70	<b>96.00</b>	<b>1.07</b>					8.33	1.26										
75.70	79.70	<b>4.00</b>	<b>11.05</b>					4.89	11.16										
193.70	209.70	<b>16.00</b>	<b>1.12</b>					1.06	<b>22.58</b>	<b>1.61</b>									
193.70	195.70	2.00	5.17					4.72	<b>137.00</b>	<b>8.15</b>									
225.70	229.70	4.00	1.29					16.28	1.66										
237.70	249.70	12.00	0.69					6.30	0.83										
263.70	267.70	4.00	0.73					2.41	0.79										
287.70	289.70	2.00	0.73					0.84	0.75										
295.70	323.70	28.00	0.76					1.11	1.99	0.81									
GWY-84 including including including including including including including including	140	-65	401.42					111.50	113.00	1.50	0.69		1.52	0.72			Pie de Gallo/NE Gap		
								126.50	134.00	<b>7.50</b>	<b>5.36</b>	<b>10.87</b>	<b>5.60</b>						
								126.50	128.00	<b>1.50</b>	<b>22.90</b>	2.74	22.96						
				143.00	144.50	1.50	1.28	1.13	1.31										
				201.50	213.50	<b>12.00</b>	<b>5.00</b>	2.46	5.06										
				201.50	206.00	<b>4.50</b>	<b>12.18</b>	1.70	12.22										
				204.50	206.00	<b>1.50</b>	<b>28.20</b>	2.34	28.25										
				234.50	237.50	3.00	0.54	<b>15.33</b>	<b>0.87</b>										
				240.50	279.50	<b>39.00</b>	<b>2.05</b>	6.80	2.20										
				261.50	263.00	<b>1.50</b>	<b>9.52</b>	5.71	9.65										
				276.50	278.00	<b>1.50</b>	<b>17.40</b>	3.42	17.48										
				285.50	287.00	1.50	0.55	2.45	0.61										
				290.00	291.50	1.50	0.90	<b>13.25</b>	<b>1.18</b>										
				315.50	359.00	43.50	0.82	6.47	0.97										
				333.50	348.50	15.00	1.08	9.07	1.29										
				383.00	401.42	<b>18.42</b>	<b>2.11</b>	<b>10.38</b>	<b>2.34</b>										
				393.50	396.50	<b>3.00</b>	<b>6.81</b>	<b>32.65</b>	<b>7.52</b>										



**Table 1: Galway Resources California Assay Result Highlights**

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes
GWY-85 including including	315	-70	416.80	0.00	93.00	<b>93.00</b>	<b>1.50</b>		<b>23.19</b>	<b>2.00</b>			Pie de Gallo/NE Gap	
				13.50	23.50	<b>10.00</b>	<b>3.66</b>		<b>78.13</b>	<b>5.36</b>				
				37.50	42.00	4.50	3.47		<b>17.23</b>	<b>3.84</b>				
				112.00	114.00	2.00	1.02		2.87	1.09				
				130.00	132.00	<b>2.00</b>	<b>6.55</b>		7.92	6.73				
				156.00	162.00	6.00	0.95		<b>60.93</b>	<b>2.27</b>				
				172.00	174.00	2.00	2.32		1.91	2.36				
				268.00	270.00	2.00	2.54		<b>13.55</b>	<b>2.83</b>				
				352.00	354.00	2.00	0.69		7.90	0.87				
				362.00	364.00	2.00	0.83		7.70	1.00				
				380.00	382.00	2.00	2.58		<b>76.30</b>	<b>4.24</b>				
GWY-86 including including	135	-70	422.00	4.50	6.00	1.50	0.72		<b>10.30</b>	<b>0.95</b>			Pie de Gallo	
				15.80	31.50	<b>15.70</b>	<b>10.03</b>	<b>8.00</b>	3.98	10.12				
				28.50	30.00	<b>1.50</b>	<b>89.70</b>	<b>68.80</b>	<b>22.30</b>	<b>90.18</b>				
				42.00	100.00	<b>58.00</b>	<b>2.19</b>	<b>1.59</b>	4.43	2.29				
				66.00	72.00	<b>6.00</b>	<b>12.23</b>	<b>6.74</b>	3.28	12.30				
				120.00	122.00	2.00	2.81	5.97	2.48	2.87				
				134.00	150.00	16.00	1.19	1.08	2.23	1.24				
				221.00	223.00	2.00	0.55		<b>11.10</b>	<b>0.79</b>				
				332.00	334.00	2.00	0.68		<b>11.05</b>	<b>0.92</b>				
				346.00	348.00	2.00	1.13		<b>16.35</b>	<b>1.48</b>				
				352.00	354.00	2.00	0.59		<b>15.00</b>	<b>0.92</b>				
408.00	410.00	2.00	1.60		<b>91.90</b>	<b>3.60</b>								
GWY-87 including including including including	315	-77	434.00	0.00	22.50	22.50	0.88		<b>31.20</b>	<b>1.55</b>			Pie de Gallo/NE Gap	
				5.50	8.00	2.50	2.07		<b>83.70</b>	<b>3.89</b>				
				29.50	64.00	34.50	0.70		8.90	0.90				
				72.00	171.00	<b>99.00</b>	<b>1.26</b>		<b>38.54</b>	<b>2.09</b>				
				93.00	112.00	<b>19.00</b>	<b>2.97</b>		<b>145.55</b>	<b>6.13</b>				
				98.00	104.00	<b>6.00</b>	<b>5.71</b>		<b>337.33</b>	<b>13.04</b>				
				130.00	132.00	2.00	1.20		4.43	1.30				
				140.00	142.00	2.00	3.57		2.21	3.62				
				146.00	148.00	2.00	3.46		<b>35.50</b>	<b>4.23</b>				
				181.00	183.00	2.00	0.57		1.96	0.62				
				187.00	191.00	4.00	1.11		<b>42.46</b>	<b>2.03</b>				
233.00	243.00	10.00	1.24		<b>12.22</b>	<b>1.51</b>								



Table 1: Galway Resources California Assay Result Highlights

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes				
GWY-88	140	-70	445.92	42.50	43.50	1.00	1.75		52.80	2.90			Pie de Gallo/NE Gap					
				182.00	191.00	9.00	0.62	1.85	0.66									
				including	182.00	183.00	1.00	2.63	5.97	2.77								
					206.00	207.00	1.00	0.56	7.04	0.72								
				including	210.00	221.00	11.00	1.83	3.21	1.90								
					217.00	221.00	4.00	3.86	2.55	3.92								
					235.00	239.00	4.00	1.41	5.97	1.55								
					243.00	244.00	1.00	0.93	8.01	1.11								
					256.00	257.00	1.00	0.61	6.28	0.76								
					258.00	259.00	1.00	0.78	12.35	1.06								
					282.00	283.00	1.00	1.13	52.00	2.25								
					292.00	293.00	1.00	0.70	22.20	1.18								
					295.00	300.00	5.00	1.06	15.22	1.39								
					305.00	309.00	4.00	1.37	13.17	1.66								
					313.00	314.00	1.00	0.55	1.76	0.59								
					319.00	321.00	2.00	2.06	2.82	2.12								
					367.00	368.00	1.00	0.55	3.02	0.62								
					369.00	370.00	1.00	0.57	0.94	0.59								
					383.00	384.00	1.00	0.54	8.52	0.74								
					387.00	388.00	1.00	0.58	7.20	0.75								
					393.00	395.00	2.00	0.56	9.76	0.78								
				including	415.00	421.00	6.00	0.97	1.28	1.00								
					418.00	421.00	3.00	1.34	2.26	1.39								
	429.00	430.00	1.00	0.94	2.33	0.99												
	432.00	433.00	1.00	0.53	3.11	0.60												
	437.00	438.00	1.00	0.64	0.97	0.66												
GWY-89	110	-45	210.00	35.00	38.00	3.00	0.98		3.85	1.06	1.07		NE Zone					
				42.00	43.00	1.00	0.92	12.30	1.20									
				77.50	78.50	1.00	1.15	2.16	1.20									
				83.50	84.50	1.00	2.32	1.92	2.36									
				91.50	93.50	2.00	0.63	2.09	0.68									
				including	96.00	134.00	38.00	0.96	3.63	1.04								
					124.00	127.00	3.00	3.12	5.04	3.23								
					142.00	143.00	1.00	1.45	1.60	1.49								
					169.00	170.00	1.00	2.39	0.89	2.41								
GWY-90	180	-45	209.50	4.00	7.00	3.00	0.62		4.10	0.71			NE Zone					
				16.00	19.00	3.00	1.03	3.63	1.12									
				44.00	45.00	1.00	0.59	0.75	0.61									
				76.00	77.00	1.00	0.61	18.05	1.00									
				83.50	84.50	1.00	0.68	9.06	0.88									
				including	152.00	165.00	13.00	0.60	18.04	1.00								
GWY-91	110	-55	240.00	16.00	17.00	1.00	0.70		20.50	1.15			Pie de Gallo					
				51.00	52.00	1.00	5.46	8.62	5.66									
				63.00	64.50	1.50	0.54	7.34	0.70									
				69.50	72.50	3.00	1.15	30.60	1.85									
				including	93.00	169.00	76.00	3.32	4.79	3.43								
					112.50	120.50	8.00	10.19	9.79	10.41								
				including	139.50	141.50	2.00	46.45	16.72	46.81								
					171.00	172.00	1.00	0.66	3.49	0.74								
					194.00	195.00	1.00	2.68	6.83	2.84								
					211.00	213.00	2.00	1.38	28.75	2.00								
					229.00	230.00	1.00	0.70	22.40	1.19								



**Table 1: Galway Resources California Assay Result Highlights**

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes
GWY-92	180	-65	350.50	4.00	7.00	3.00	0.55		4.46	0.66			NE Zone	
				44.00	45.00	1.00	0.56	9.13	0.77					
				61.00	62.00	1.00	1.01	2.64	1.07					
				63.00	65.00	2.00	0.69	8.47	0.88					
				101.00	103.00	<b>2.00</b>	<b>7.59</b>	7.87	7.76					
				176.00	178.00	2.00	1.31	1.10	1.34					
				180.00	181.00	1.00	0.84	4.58	0.94					
				201.00	203.00	2.00	2.10	9.80	2.32					
				209.50	210.50	1.00	1.12	1.28	1.15					
				223.50	227.50	4.00	1.11	9.93	1.33					
				234.50	237.00	2.50	1.91	7.91	2.08					
				263.00	264.00	1.00	0.61	0.31	0.61					
				287.00	288.00	1.00	2.25	1.24	2.28					
				293.00	294.00	1.00	3.35	0.35	3.36					
				321.00	322.00	1.00	1.06	2.84	1.12					
GWY-93	140	-80	451.10	79.50	80.50	<b>1.00</b>	<b>106.00</b>		<b>22.20</b>	<b>106.48</b>			Pie de Gallo/NE Gap	
				85.50	86.50	1.00	0.72	4.30	0.81					
				112.50	113.50	1.00	0.60	5.36	0.72					
				125.50	128.00	<b>2.50</b>	<b>4.00</b>	1.62	4.04					
				195.50	196.50	<b>1.00</b>	<b>10.05</b>	0.67	10.07					
				368.50	372.50	4.00	2.92	9.58	3.14					
				including	369.50	370.50	1.00	7.10	<b>13.90</b>	<b>7.40</b>				
				383.50	385.50	2.00	2.22	<b>13.04</b>	<b>2.50</b>					
				400.50	401.50	1.00	0.75	1.05	0.77					
				including	411.50	415.50	4.00	0.99	1.41	1.02				
				414.50	415.50	1.00	2.01	0.98	2.03					
				444.50	451.10	6.60	0.84	2.67	0.90					
GWY-94	210	-45	274.00	0.00	9.00	9.00	0.53		<b>29.70</b>	<b>1.18</b>			NE Zone	
GWY-95	210	-70	333.80	1.00	8.00	<b>7.00</b>	<b>3.02</b>		<b>132.75</b>	<b>5.90</b>			NE Zone	
				50.50	52.50	2.00	0.93		<b>16.08</b>	<b>1.28</b>				
				90.50	91.50	1.00	0.61		6.85	0.76				
				92.50	93.50	1.00	0.52		0.77	0.54				
				111.50	112.50	1.00	1.01		0.72	1.02				
				119.50	120.50	1.00	0.58		1.58	0.61				
				127.50	129.50	2.00	0.63		0.90	0.65				
				168.00	169.00	<b>1.00</b>	<b>20.05</b>		4.43	20.15				
				186.00	192.00	6.00	0.98		<b>16.22</b>	<b>1.33</b>				
				193.00	194.00	1.00	0.52		<b>10.30</b>	<b>0.75</b>				
				214.00	215.00	1.00	0.68		3.17	0.75				
				306.50	307.50	1.00	0.52		6.81	0.68				
				308.50	310.50	2.00	0.56		4.37	0.66				
				312.50	331.50	<b>19.00</b>	<b>0.78</b>		9.04	0.99				
				332.80	333.80	1.00	0.62		2.47	0.67				



**Table 1: Galway Resources California Assay Result Highlights**

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes			
GWY-96	180	-65	435.25	106.00	109.00	3.00	1.66		2.71	1.72			Pie de Gallo/NE Gap				
				125.00	128.00	3.00	2.69		9.13	2.90							
				137.00	156.00	19.00	1.37		5.36	1.49							
				including	139.00	143.00	4.00	4.20		11.92	4.45						
					163.00	164.00	1.00	0.94		1.88	0.98						
					179.00	182.00	3.00	0.74		7.00	0.90						
					184.00	185.00	1.00	0.62		1.45	0.65						
				including	196.00	200.00	4.00	4.75		3.36	4.83						
					197.00	198.00	1.00	15.50		3.99	15.59						
					205.00	209.00	4.00	0.82		0.57	0.83						
					213.00	214.00	1.00	0.75		1.55	0.78						
					236.00	237.00	1.00	1.31		2.56	1.36						
					240.00	242.00	2.00	2.96		3.63	3.04						
					250.00	251.00	1.00	0.63		1.34	0.66						
				including	254.00	261.00	7.00	5.84		23.60	6.35						
					260.00	261.00	1.00	25.60		4.43	25.70						
					312.00	313.00	1.00	0.52		2.20	0.57						
					314.00	319.00	5.00	0.80		2.88	0.87						
				including	332.00	381.00	49.00	1.87		4.53	1.97						
				including	334.00	335.00	1.00	13.15		6.04	13.29						
				including	341.00	342.00	1.00	5.66		7.62	5.83						
				including	370.00	375.00	5.00	7.25		4.87	7.36						
				including	374.00	375.00	1.00	12.20	18.55	2.78	12.26						
					385.00	386.00	1.00	0.52		2.27	0.57						
					387.00	388.00	1.00	0.76		1.01	0.78						
				including	400.00	425.00	25.00	0.99		2.08	1.04						
					400.00	401.00	1.00	4.50		4.31	4.60						
GWY-97	110	-65	295.25	23.00	24.00	1.00	151.50		73.10	153.09			Pie de Gallo				
				28.00	29.00	1.00	0.59		14.15	0.89							
				41.50	54.00	12.50	2.23		2.65	2.29							
				including	42.50	43.50	1.00	7.22		6.75	7.37						
				including	50.00	51.00	1.00	11.90		2.02	11.95						
					57.00	58.00	1.00	0.91		4.51	1.01						
					76.00	79.00	3.00	1.42		22.43	1.91						
				including	83.00	88.00	5.00	6.66	5.93	10.43	6.89						
					83.00	84.00	1.00	29.30	25.65	5.45	29.42						
					93.50	97.50	4.00	0.63		3.67	0.71						
					98.50	99.50	1.00	0.60		7.36	0.77						
					103.50	112.50	9.00	1.55	1.46	3.19	1.62						
					116.50	117.50	1.00	0.54		4.80	0.65						
					120.50	121.50	1.00	0.76		3.80	0.85						
				including	122.50	140.00	17.50	1.37	1.68	2.00	1.42						
				including	131.00	135.00	4.00	1.94	3.27	1.67	1.98						
				including	133.00	134.00	1.00	2.13	7.45	2.09	2.18						
					141.50	142.50	1.00	0.57		0.97	0.60						
					143.50	144.50	1.00	0.75		1.87	0.80						
					147.50	148.50	1.00	1.36		1.25	1.39						
				including	153.50	186.50	33.00	1.88	1.86	5.46	2.00						
	159.50	170.50	11.00	3.88	3.84	7.01	4.04										
including	159.50	160.50	1.00	25.40	18.35	3.48	25.48										
	192.50	196.50	4.00	0.86		10.61	1.09										
	211.50	214.50	3.00	1.18		26.10	1.75										



Table 1: Galway Resources California Assay Result Highlights

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes
GWY-98	180	-55	255.50	4.00	6.00	2.00	1.58		2.29	1.63			NE Zone	
				7.00	8.00	1.00	0.66	<b>15.50</b>	<b>1.00</b>					
				11.00	13.00	2.00	1.02	8.10	1.20					
				96.50	97.50	1.00	1.19	3.74	1.28					
				127.50	128.50	1.00	0.89	0.83	0.91					
				166.50	167.50	1.00	0.56	<b>11.70</b>	<b>0.81</b>					
				168.50	178.50	<b>10.00</b>	<b>2.70</b>	<b>12.40</b>	<b>2.97</b>					
				192.50	194.50	2.00	1.39	5.26	1.51					
				218.50	219.50	1.00	0.53	9.76	0.75					
				GWY-99	110	-75	375.50	13.50	163.50	<b>150.00</b>	<b>3.01</b>			<b>11.99</b>
including			13.50	49.50	<b>36.00</b>	<b>8.37</b>	8.87	<b>12.01</b>	<b>8.63</b>					
including			13.50	23.00	<b>9.50</b>	<b>28.05</b>	28.70	6.66	28.20					
including			13.50	16.00	<b>2.50</b>	<b>21.78</b>	47.35	<b>10.59</b>	<b>22.01</b>					
including			21.00	23.00	<b>2.00</b>	<b>103.20</b>	72.93	10.26	103.43				VG	
including			28.00	39.50	11.50	0.04		0.72	0.06					
including			39.50	92.50	<b>53.00</b>	<b>1.58</b>	1.91	<b>17.76</b>	<b>1.97</b>					
including			44.50	49.50	5.00	4.87	7.97	<b>61.60</b>	<b>6.21</b>					
including			44.50	45.50	<b>1.00</b>	<b>17.90</b>	33.30	<b>17.45</b>	<b>18.28</b>					
including			49.50	59.50	10.00	0.42		3.16	0.49					
including			75.50	82.50	7.00	3.41	3.74	6.28	3.55					
including			75.50	76.50	1.00	4.81	8.08	9.57	5.03					
including			81.50	82.50	<b>1.00</b>	<b>11.85</b>	10.85	6.71	12.00					
including			96.00	124.00	28.00	0.50		4.50	0.60					
including			124.00	128.50	4.50	1.77	13.19	<b>17.21</b>	<b>2.14</b>					
including			159.50	161.50	<b>2.00</b>	<b>17.45</b>		8.61	17.65					
			183.00	189.00	6.00	0.99		<b>12.90</b>	<b>1.27</b>					
			198.00	202.00	4.00	0.83		7.48	1.00					
			222.50	223.50	1.00	0.58		7.79	0.76					
			262.50	263.50	1.00	0.61		<b>29.10</b>	<b>1.24</b>					
			270.50	285.50	<b>15.00</b>	<b>4.15</b>		4.73	4.26					
including			283.50	284.50	<b>1.00</b>	<b>54.10</b>		18.50	54.52					
			287.50	288.50	1.00	0.52		<b>10.25</b>	<b>0.75</b>					
			289.50	290.50	1.00	0.59		6.53	0.74					
			303.50	388.50	<b>85.00</b>	<b>1.15</b>		5.91	1.28					
including			346.50	360.50	<b>14.00</b>	<b>3.13</b>		0.82	3.15					
including			346.50	347.50	<b>1.00</b>	<b>25.60</b>		5.78	25.73					
including			352.50	353.50	<b>1.00</b>	<b>12.50</b>		1.12	12.53					
including			359.50	360.50	1.00	3.67		0.82	3.69					
including			380.50	381.50	1.00	4.17		5.30	4.29					
			413.50	414.50	1.00	0.60		1.14	0.63					
			415.50	416.50	1.00	0.58		3.10	0.65					
			420.50	422.00	1.50	0.73		1.38	0.76					



Table 1: Galway Resources California Assay Result Highlights

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes
GWY-100	135	-70	350.00	19.00	20.50	1.50	0.61		2.53	0.67			Pie de Gallo	
				61.50	62.50	1.00	1.12		2.02	1.17				
				72.50	73.50	1.00	0.53		5.98	0.66				
				106.50	108.50	2.00	2.89		25.80	3.45				
				127.50	128.50	1.00	0.52		2.66	0.58				
				142.00	143.00	1.00	0.64		17.60	1.02				
				156.50	158.00	1.50	1.24		7.54	1.41				
				159.00	161.00	2.00	0.57		14.38	0.89				
				177.00	178.00	1.00	1.74		3.13	1.81				
				191.00	193.00	2.00	0.98		6.77	1.13				
				206.00	207.00	1.00	0.69		4.58	0.80				
				210.00	211.00	1.00	5.97		3.97	6.06				
				220.00	224.00	4.00	0.53		8.37	0.72				
				227.00	229.00	2.00	0.76		11.59	1.01				
				231.00	235.00	4.00	1.19		3.03	1.26				
				242.00	244.00	2.00	0.84		2.02	0.89				
				266.00	267.00	1.00	0.96		1.56	1.00				
				269.00	274.00	5.00	0.66		1.87	0.70				
				278.00	279.00	1.00	0.83		3.36	0.91				
				283.00	284.00	1.00	1.03		1.97	1.07				
				294.00	295.00	1.00	2.69		1.65	2.73				
				300.00	301.00	1.00	1.86		9.54	2.08				
				317.00	321.00	4.00	0.83		1.39	0.86				
GWY-101 including	135	-60	229.51	42.20	73.80	31.60	1.11		9.10	1.32			Pie de Gallo/NE Gap	
				47.00	48.00	1.00	13.70		5.34	13.82				
				85.00	86.00	1.00	0.90		9.20	1.11				
				95.00	96.00	1.00	1.27		5.18	1.39				
				97.00	98.00	1.00	0.68		2.02	0.72				
				101.00	106.00	5.00	1.51		4.03	1.60				
				104.00	105.00	1.00	4.84		4.35	4.94				
				108.00	109.00	1.00	0.74		2.44	0.79				
				120.50	125.50	5.00	1.08		18.10	1.47				
				128.50	130.50	2.00	0.53		17.00	0.90				
				142.50	143.50	1.00	0.62		169.00	4.46				
				184.50	185.50	1.00	0.77		6.60	0.92				
				209.50	210.50	1.00	0.53		3.23	0.60				
				211.50	212.50	1.00	0.53		2.18	0.58				
				213.50	214.50	1.00	0.51		3.74	0.60				
				220.50	221.50	1.00	2.13		9.32	2.34				



Table 1: Galway Resources California Assay Result Highlights

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes	
GWY-102	135	-70	346.86	3.70	4.50	0.80	0.86		1.36	0.89			Pie de Gallo/NE Gap		
				44.50	46.50	2.00	0.80	44.10	1.76						
				52.50	54.50	2.00	0.94	11.08	1.18						
				63.50	66.50	3.00	1.05	14.29	1.36						
				68.50	69.50	1.00	0.69	2.09	0.73						
				70.50	71.50	1.00	0.69	12.25	0.96						
				85.50	87.50	2.00	22.47	8.64	22.67						
				105.50	110.50	5.00	0.92	12.94	1.20						
				131.50	188.50	57.00	0.82	36.56	1.61						
				including	145.50	150.50	5.00	3.30	352.21	10.95					
				including	145.50	146.50	1.00	9.97	2.79	10.03					
				including	149.50	150.50	1.00	2.69	1750.00	40.71					
					192.50	193.50	1.00	0.68	3.76	0.76					
					195.50	197.50	2.00	0.88	1.06	0.90					
					209.50	210.50	1.00	1.06	1.18	1.09					
					212.50	213.50	1.00	0.68	28.00	1.29					
					246.50	247.50	1.00	2.14	3.06	2.21					
					257.50	258.50	1.00	0.93	2.92	0.99					
					261.50	270.50	9.00	0.86	8.99	1.06					
					271.50	272.50	1.00	0.56	5.34	0.68					
					274.50	275.50	1.00	0.57	5.34	0.69					
				including	280.50	282.50	2.00	0.78	681.78	15.59					
					280.50	281.50	1.00	0.57	1360.00	31.50					
					285.50	286.50	1.00	1.00	1.24	1.03					
					309.50	310.50	1.00	1.14	2.06	1.18					
					317.50	318.50	1.00	0.80	4.82	0.90					
					327.50	330.50	3.00	0.83	10.26	1.06					
	342.00	343.00	1.00	0.64	3.70	0.72									
GWY-103	135	-80	400.00	95.50	96.50	1.00	0.54		3.95	0.63			Pie de Gallo		
				139.50	140.50	1.00	1.94	0.12	1.94						
				174.50	175.50	1.00	0.57	21.50	1.04						
				176.50	192.50	16.00	10.87	2.93	10.94						
				including	176.50	177.50	1.00	12.35	4.27	12.45					
				including	188.50	189.50	1.00	154.50	14.40	154.81					
					195.50	196.50	1.00	0.59	10.90	0.82					
					206.50	209.50	3.00	0.91	4.99	1.02					
					219.50	220.50	1.00	0.62	21.10	1.08					
					299.50	302.50	3.00	0.60	1.31	0.63					
					307.50	309.50	2.00	0.81	1.31	0.84					
					341.50	386.50	45.00	0.91	0.99	8.03	1.09				
				including	345.50	351.50	6.00	3.03	3.09	26.64	3.61				
					396.50	397.50	1.00	0.57	4.87	0.68					





Table 1: Galway Resources California Assay Result Highlights

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes					
GWY-107 including including  including including including	110	-75	200.50	15.00	28.00	13.00	9.00		4.33	9.10			Pie de Gallo						
				16.50	17.00	0.50	95.50	32.20	96.20										
				23.50	26.50	3.00	18.66	4.42	18.76										
				44.00	50.00	6.00	1.43	16.29	1.78										
				61.00	93.00	32.00	1.63	9.19	1.84										
				73.00	74.00	1.00	5.38	4.63	5.49										
				80.00	82.00	2.00	6.56	6.08	6.70										
				87.00	88.00	1.00	6.95	24.20	7.48										
				104.00	105.00	1.00	11.30	2.94	11.37										
				111.00	114.00	3.00	1.15	2.64	1.21										
				119.00	120.00	1.00	0.60	2.83	0.66										
				122.00	123.00	1.00	0.58	1.46	0.62										
				139.00	142.50	3.50	0.56	5.95	0.70										
				144.50	145.50	1.00	0.55	35.70	1.32										
				148.50	158.50	10.00	0.98	13.63	1.27										
				169.50	170.50	1.00	0.55	11.80	0.81										
				GWY-108	180	-60	450.60	24.50	25.50	1.00	0.50			8.43	0.69			Pie de Gallo	
46.50	48.50	2.00	0.80					10.15	1.02										
127.00	128.00	1.00	0.50					10.30	0.72										
135.50	136.50	1.00	0.60					5.24	0.72										
142.50	143.50	1.00	0.52					9.61	0.74										
152.00	154.00	2.00	0.77					2.78	0.83										
177.00	178.00	1.00	1.29					40.00	2.15										
189.50	190.50	1.00	0.54					0.46	0.55										
197.50	202.50	5.00	1.68					3.05	1.75										
290.50	291.50	1.00	0.84					3.57	0.92										
351.50	357.00	5.50	1.15					21.39	1.61										
GWY-109	170	-60	220.00					18.00	23.50	5.50	1.30		13.80	1.60			Pie de Gallo		
								35.50	121.50	86.00	2.73	8.16	2.92						
				36.50	38.50	2.00	11.19	115.60	13.70										
				61.50	63.50	2.00	14.85	7.17	15.01										
				87.00	90.00	3.00	35.82	5.72	35.95										
				87.00	88.00	1.00	100.45	7.10	100.61										
				124.50	126.50	2.00	0.61	5.00	0.72										
				127.50	128.50	1.00	0.52	3.83	0.61										
				144.00	192.00	48.00	1.99	6.20	2.13										
				162.50	164.00	1.50	7.67	10.05	7.90										
				168.00	169.00	1.00	30.00	6.76	30.15										
				188.00	189.00	1.00	7.33	2.15	7.38										
				202.00	203.00	1.00	0.65	1.90	0.69										
213.00	214.00	1.00	1.09	42.30	2.01														
GWY-110	0	-90	449.58	0.91	2.13	1.22	0.90		1.16	0.93			Pie de Gallo/NE Gap						
				71.00	72.00	1.00	0.77	8.93	0.97										
				73.00	74.00	1.00	0.59	9.55	0.80										
				75.00	76.00	1.00	0.67	16.75	1.03										
				80.00	135.00	55.00	1.05	5.69	1.18										
				105.50	106.50	1.00	5.85	4.77	5.96										
				124.00	126.00	2.00	3.84	2.84	3.90										
				149.00	151.00	2.00	0.85	2.48	0.91										
				158.00	185.00	27.00	2.11	3.56	2.19										
				181.00	182.00	1.00	41.90	7.40	42.07										
				190.00	191.00	1.00	1.07	3.60	1.15										
				198.50	199.50	1.00	0.55	14.10	0.85										
				404.50	405.50	1.00	0.69	4.14	0.79										
				408.50	411.50	3.00	0.81	7.23	0.97										
				419.50	422.50	3.00	0.66	7.05	0.82										
438.50	439.50	1.00	0.74	1.07	0.77														



**Table 1: Galway Resources California Assay Result Highlights**

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes
GWY-111	180	-70	356.60	35.50	37.00	1.50	0.78		4.37	0.88			Pie de Gallo	
				176.50	177.50	1.00	1.07		2.57	1.13				
				226.50	228.50	2.00	0.82		1.60	0.86				
				240.50	241.50	1.00	0.50		4.03	0.59				
				262.50	263.50	1.00	0.53		1.88	0.57				
				264.50	266.50	2.00	0.88		6.05	1.02				
				318.50	322.50	4.00	0.74		9.26	0.95				
				328.50	340.50	12.00	0.81		6.00	0.95				
GWY-112	170	-70	315.00	18.00	19.00	1.00	0.72		0.33	0.73			Pie de Gallo	
				20.00	21.00	1.00	0.61		0.24	0.62				
				32.50	33.50	1.00	1.32		<b>58.60</b>	<b>2.59</b>				
				39.50	40.50	1.00	0.86		<b>10.25</b>	<b>1.08</b>				
				including	50.50	147.50	<b>97.00</b>	<b>2.97</b>		6.90	3.12			
				including	56.00	69.50	<b>13.50</b>	<b>9.89</b>		5.19	10.01			
				including	56.00	59.00	<b>3.00</b>	<b>25.53</b>		4.14	25.62			
				including	66.50	67.50	<b>1.00</b>	<b>38.90</b>		9.30	39.11			
				including	68.50	69.50	1.00	7.03		4.43	7.13			
				including	80.50	81.50	1.00	6.93		<b>29.20</b>	<b>7.56</b>			
				including	98.00	100.50	2.50	5.86		<b>13.60</b>	<b>6.16</b>			
				including	112.50	113.50	1.00	9.87		5.22	9.99			
				including	131.50	132.50	1.00	5.58		5.13	5.70			
				including	142.50	143.50	<b>1.00</b>	<b>19.95</b>		2.19	20.00			
					153.50	161.50	8.00	0.78		8.05	0.96			
					165.50	166.50	1.00	0.85		0.95	0.87			
					171.50	222.50	<b>51.00</b>	<b>1.66</b>		6.57	1.81			
				including	176.50	177.50	<b>1.00</b>	<b>21.80</b>		<b>11.75</b>	<b>22.06</b>			
					238.50	239.50	1.00	1.21		<b>18.35</b>	<b>1.61</b>			
					256.50	257.50	1.00	0.78		9.54	1.00			
	258.50	259.50	1.00	0.60		0.81	0.62							
	262.50	263.50	1.00	4.15		4.62	4.26							
	285.50	299.50	14.00	1.42		3.29	1.49							
including	287.50	290.50	3.00	2.89		4.68	3.00							
GWY-113	170	-80	335.50	45.50	50.00	4.50	0.81		4.19	0.91			Pie de Gallo	
				54.00	64.00	10.00	0.76		8.48	0.95				
				78.00	112.50	34.50	0.90		<b>25.88</b>	<b>1.46</b>				
				197.50	198.50	1.00	0.64		9.22	0.85				
				201.00	204.00	3.00	1.74		<b>15.00</b>	<b>2.07</b>				
				281.00	282.00	1.00	0.65		7.69	0.82				
				298.00	299.00	1.00	1.14		2.25	1.19				
				405.00	406.00	1.00	0.53		1.64	0.57				
GWY-114	180	-80	314.50	214.50	215.50	1.00	0.65		6.59	0.80			Pie de Gallo	
				242.50	248.50	6.00	1.07		7.70	1.25				
				313.50	317.50	4.00	1.83		<b>79.94</b>	<b>3.57</b>				
				320.50	321.50	1.00	0.68		<b>12.35</b>	<b>0.95</b>				
				324.50	329.50	5.00	0.83		4.38	0.93				



**Table 1: Galway Resources California Assay Result Highlights**

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes	
GWY-115 including including including including including including including including including including including including including including	180	-60	306.00	43.00	64.50	21.50	3.94	8.48	11.25	4.18			Pie de Gallo/NE Gap		
				43.00	45.00	2.00	31.50	78.30	17.10	31.87					
				55.00	56.00	1.00	9.79	13.68	6.10	9.93					
				73.50	76.00	2.50	0.83		11.88	1.09					
				78.50	79.50	1.00	0.88		3.23	0.95					
				86.50	89.50	3.00	0.83		1.37	0.86					
				90.50	91.50	1.00	0.51		3.09	0.58					
				94.50	95.50	1.00	3.88		36.50	4.67					
				103.00	104.00	1.00	0.60		6.43	0.75					
				106.00	109.00	3.00	0.72		5.35	0.84					
				127.00	129.00	2.00	1.43		6.83	1.59					
				136.00	162.00	26.00	65.96	129.03	22.31	66.44					
				158.00	159.00	1.00	1670.00	3310.00	454.00	1679.86					
				189.50	190.50	1.00	0.88		18.65	1.30					
				GWY-116 including including including including including including including including including including including including including including	190	-60	342.00	20.00	22.00	2.00	2.80			41.00	3.69
35.00	127.50	92.50	2.80					2.85	8.75	3.00					
56.50	62.50	6.00	24.92					19.64	8.17	25.11					
56.50	57.50	1.00	63.70					28.40	4.06	63.79					
59.50	60.50	1.00	52.90					59.60	14.50	53.22					
61.50	62.50	1.00	24.20						13.40	24.49					
90.50	91.50	1.00	7.01						4.47	7.11					
98.50	99.50	1.00	9.39					45.70	10.95	9.63					
140.50	141.50	1.00	1.05						13.95	1.35					
146.50	260.50	114.00	0.90					1.15	5.14	1.01					
198.50	200.50	2.00	11.27					25.42	4.18	11.36					
199.50	200.50	1.00	16.55					44.90	3.67	16.63					
262.50	263.50	1.00	0.71						2.47	0.77					
307.50	308.50	1.00	0.60						10.80	0.85					
334.50	335.50	1.00	0.63						12.30	0.89					
337.50	340.50	3.00	2.21		172.57	5.96									
GWY-117 including including including including including including including including including including including including including including	160	-70	450.00	147.50	148.50	1.00	0.69		1.50	0.72			Pie de Gallo/San Gap		
				151.50	153.50	2.00	4.06		1.82	4.10					
				156.50	157.50	1.00	0.93		0.92	0.95					
				194.50	195.50	1.00	24.85		3.19	24.92					
				202.50	203.50	1.00	0.69		16.05	1.06					
				210.50	211.50	1.00	0.80		11.55	1.06					
				221.50	222.50	1.00	0.83		1.48	0.86					
				261.50	262.50	1.00	0.52		0.37	0.53					
				307.50	308.50	1.00	1.01		5.42	1.13					
				328.50	329.50	1.00	1.08		1.24	1.11					
				345.50	346.50	1.00	0.63		0.60	0.64					
				418.50	432.50	14.00	21.62		475.68	32.44	2.46	0.24			
				418.50	419.50	1.00	27.50		2120.00	75.71	10.95	1.29			
				425.50	426.50	1.00	177.50		3150.00	249.14	14.25	0.97			
				430.50	431.50	1.00	62.90		109.00	65.38					





**Table 1: Galway Resources California Assay Result Highlights**

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes					
GWY-120  including	160	-80	362.50	181.50	186.50	5.00	0.85		5.71	0.98			Pie de Gallo/San Gap						
				191.50	199.50	8.00	43.41		7.37	43.58									
				192.50	193.50	1.00	319.00		25.86	319.59									
				224.50	225.50	1.00	0.53		2.11	0.58									
				324.50	325.50	1.00	1.21		9.30	1.42									
				328.50	329.50	1.00	0.56		2.63	0.62									
				337.50	338.50	1.00	0.61		18.10	1.02									
				339.50	340.50	1.00	1.34		14.75	1.68									
				343.50	356.50	13.00	0.60		8.06	0.78									
				359.50	362.50	3.00	0.60		4.18	0.69									
				GWY-121  including   including	190	-80	450.50	32.00	33.00	1.00	1.05			0.61	1.06			Pie de Gallo	
								46.00	47.00	1.00	0.58			6.12	0.72				
48.00	60.50	12.50	1.08						25.60	1.66									
48.00	49.00	1.00	3.97						4.82	4.08									
75.00	77.00	2.00	0.61						7.76	0.79									
79.00	90.50	11.50	0.90						22.13	1.40									
106.50	107.50	1.00	0.54						6.34	0.68									
117.00	118.00	1.00	0.52						21.10	1.00									
175.50	179.50	4.00	1.00						7.69	1.17									
201.50	228.50	27.00	1.03						10.58	1.27									
202.50	211.50	9.00	1.98						14.96	2.32									
251.50	253.50	2.00	0.99						13.10	1.29									
258.50	259.50	1.00	0.53						2.04	0.58									
294.50	295.50	1.00	0.89						1.46	0.92									
311.50	312.50	1.00	90.60						5.66	90.73									
386.50	387.50	1.00	0.77		0.69	0.79													
GWY-122 including including including  including including including including	180	-80	284.38	89.50	155.50	66.00	1.37		8.75	1.57			Pie de Gallo/NE Gap						
				114.00	115.00	1.00	10.80		8.92	11.00									
				131.00	132.00	1.00	5.79		11.95	6.06									
				145.50	146.50	1.00	28.30		8.59	28.50									
				156.50	157.50	1.00	0.78		4.11	0.87									
				163.50	167.50	4.00	0.73		3.77	0.82									
				171.50	172.50	1.00	3.24		2.31	3.29									
				182.50	228.50	46.00	0.93		5.04	1.04									
				184.50	185.50	1.00	3.42		9.31	3.63									
				197.50	198.50	1.00	3.85		7.87	4.03									
				206.50	208.50	2.00	3.99		4.50	4.09									
				212.50	214.50	2.00	2.17		3.88	2.26									
				236.50	237.50	1.00	0.93		3.66	1.01									
				241.50	243.50	2.00	0.76		5.29	0.88									
				244.50	247.50	3.00	0.52		2.73	0.58									
GWY-123  including including	160	-65	450.00	98.00	99.00	1.00	0.56		3.79	0.65			Pie de Gallo/San Gap						
				132.00	133.00	1.00	0.54		0.82	0.56									
				134.00	150.00	16.00	10.63		3.00	10.70									
				135.00	136.00	1.00	138.50		25.50	139.08									
				149.00	150.00	1.00	15.35		5.19	15.47									
				152.00	153.00	1.00	0.75		0.79	0.77									
				178.00	179.00	1.00	0.82		4.83	0.93									
				185.00	187.00	2.00	0.82		11.48	1.08									
				210.00	211.00	1.00	0.79		10.65	1.03									
				308.50	314.50	6.00	1.40		30.18	2.09									
				408.50	409.50	1.00	0.86		64.30	2.32									



Table 1: Galway Resources California Assay Result Highlights

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes						
GWY-124	160	-60	255.42	1.00	2.50	1.50	3.91		0.66	3.93			Pie de Gallo/NE Gap							
				8.00	9.00	1.00	0.87		0.47	0.88										
				23.00	24.00	1.00	0.78		4.54	0.88										
				44.50	45.50	1.00	31.70		4.27	31.80										
				47.50	48.50	1.00	0.76		10.70	1.00										
				57.00	64.00	7.00	2.05		5.54	2.17										
				62.00	63.00	1.00	7.92		6.28	8.06										
				69.00	72.00	3.00	0.60		10.10	0.83										
				75.00	76.00	1.00	0.75		8.24	0.94										
				81.00	123.00	42.00	0.83		15.90	1.19										
				104.00	105.00	1.00	4.99		16.95	5.38										
				135.00	136.00	1.00	0.79		10.05	1.01										
				235.00	241.00	6.00	0.91		40.15	1.82										
				GWY-125	0	-90	450.00	4.00	5.80	1.80	2.02				3.33	2.10			Pie de Gallo/NE Gap	
17.00	18.50	1.50	0.80						3.31	0.88										
21.50	34.50	13.00	0.55						4.87	0.66										
75.50	77.50	2.00	0.67						11.05	0.92										
79.50	80.50	1.00	0.50						12.25	0.78										
90.50	103.50	13.00	1.62						14.22	1.94										
94.50	95.50	1.00	3.32						28.90	3.98										
158.50	159.50	1.00	0.51						15.70	0.87										
GWY-126	135	-50	450.00					30.50	31.50	1.00	0.56		0.62	0.57			Pie de Gallo/ San Gap			
								44.50	45.30	0.80	0.54		3.48	0.62						
				113.50	119.50	6.00	14.10		4.16	14.19										
				118.50	119.50	1.00	80.60		13.85	80.91										
				131.50	132.50	1.00	0.70		4.08	0.79										
				137.50	138.50	1.00	0.79		3.69	0.87										
				161.50	162.50	1.00	16.85		12.65	17.14										
				193.50	195.50	2.00	0.78		3.98	0.87										
				280.00	283.50	3.00	4.93		265.07	10.96										
				280.50	281.50	1.00	9.11		306.00	16.07										
				305.50	317.50	13.00	0.92		3.89	1.01										
				305.50	306.50	1.00	5.07		0.55	5.08										
				339.50	341.50	2.00	0.91		6.00	1.05										
				354.50	363.50	9.00	1.01		8.98	1.21										
399.50	400.50	1.00	0.91		7.81	1.09														
434.50	436.50	2.00	0.55		9.16	0.76														
438.50	440.50	2.00	0.57		13.06	0.87														





Table 1: Galway Resources California Assay Result Highlights

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AUEq	Zn %	Cu %	Zone	Notes
GWY-130	160	-70	450.18	35.14	36.14	1.00	0.81		11.65	1.07			Pie de Gallo/NE Gap	
				40.00	41.00	1.00	0.55	1.50	0.58					
				48.50	49.50	1.00	0.50	2.14	0.55					
				67.50	73.50	6.00	1.01	6.94	1.17					
				79.50	80.50	1.00	0.57	9.64	0.79					
				91.50	92.50	1.00	0.56	0.85	0.58					
				97.50	98.50	1.00	0.54	3.00	0.61					
				105.50	115.50	10.00	0.89	7.05	1.05					
				126.50	127.50	1.00	0.96	3.53	1.04					
				180.50	181.50	1.00	0.63	1.67	0.67					
				220.50	221.50	1.00	0.69	3.08	0.76					
				315.50	328.50	13.00	3.08	57.45	4.39					
				317.00	319.00	2.00	6.64	171.00	10.53					
				324.50	325.50	1.00	16.20	155.00	19.73					
				379.00	380.00	1.00	0.79	3.41	0.87					
				421.00	422.00	1.00	0.73	0.44	0.74					
				446.00	447.00	1.00	1.34	8.00	1.52					
				448.00	449.00	1.00	0.50	3.14	0.57					
GWY-131	135	-70	450.00	0.00	5.50	5.50	1.79		3.41	1.87			Pie de Gallo/NE Gap	
				23.50	43.00	19.50	0.90	8.24	1.09					
				65.50	66.50	1.00	0.55	3.43	0.63	2.26				
				101.50	102.50	1.00	1.17	9.21	1.38					
				114.50	115.50	1.00	0.68	9.55	0.90					
				149.50	150.50	1.00	0.55	8.23	0.74					
				167.50	173.50	6.00	1.73	6.24	1.87					
				183.50	184.50	1.00	0.85	0.94	0.87					
				204.50	205.50	1.00	0.66	0.23	0.67					
				225.50	226.50	1.00	0.52	0.47	0.53					
				244.50	245.50	1.00	9.31	2.19	9.36					
				256.50	266.50	10.00	0.76	6.07	0.90					
				257.50	259.50	2.00	1.64	9.74	1.86					
				259.50	271.50	2.00	0.74	1.48	0.77					
				272.50	273.50	1.00	0.57	2.07	0.62					
				275.50	276.50	1.00	0.54	1.43	0.57					
				287.50	289.50	2.00	1.07	2.51	1.12					
				301.50	302.50	1.00	0.55	3.61	0.63					
				312.50	321.50	9.00	1.03	9.69	1.25					
				323.50	324.50	1.00	0.55	0.85	0.57					
338.50	339.50	1.00	0.74	12.00	1.01									
344.50	354.50	10.00	0.61	5.82	0.74									
363.50	364.50	1.00	1.59	0.43	1.60									
374.50	376.50	2.00	0.71	1.95	0.75									
379.50	380.50	1.00	0.57	2.18	0.62									



Table 1: Galway Resources California Assay Result Highlights

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes					
GWY-132	135	-75	450.00	156.00	159.00	3.00	3.04		1.55	3.08			Pie de Gallo						
				176.00	177.00	1.00	0.55		1.89	0.59									
				184.00	185.00	1.00	1.96		1.00	1.98									
				230.00	243.00		1.15		2.19	1.20									
				230.00	232.00	2.00	4.29		2.76	4.35									
				284.00	285.00	1.00	0.85		10.75	1.09									
				309.00	310.00	1.00	0.56		3.95	0.65									
				319.00	321.00	2.00	0.59		4.14	0.68									
				325.00	326.00	1.00	0.53		6.75	0.68									
				328.00	329.00	1.00	0.69		9.73	0.91									
				332.00	346.00	14.00	0.90		4.91	1.01									
				347.00	348.00	1.00	0.51		5.97	0.65									
				367.00	368.00	1.00	0.59		1.34	0.62									
				372.00	373.00	1.00	0.90		2.12	0.95									
				378.00	380.00	2.00	0.60		2.17	0.64									
				381.00	383.00	2.00	1.07		3.61	1.15									
				394.00	395.00	1.00	0.62		6.39	0.77									
				398.00	399.00	1.00	0.53		6.61	0.68									
				GWY-133	160	-75	450.62	14.50	15.84	1.34	1.51			0.54	1.52			Pie de Gallo/NE Gap	
								20.50	21.50	1.00	0.51			7.56	0.68				
31.50	32.50	1.00	0.69						9.51	0.91									
60.00	61.00	1.30	0.80						4.21	0.90									
64.00	65.00	1.00	0.96						8.53	1.15									
68.00	69.00	1.00	0.52						4.11	0.61									
70.10	80.50	10.40	0.80						16.35	1.17									
99.06	100.00	0.94	0.56						2.65	0.62									
104.00	113.00	9.00	1.28						6.00	1.42									
120.50	137.50	17.00	2.81						15.50	3.16									
122.50	123.50	1.00	30.20						29.50	30.87									
143.50	145.50	2.00	0.68						30.33	1.36									
149.50	151.50	2.00	0.67						10.17	0.90									
169.50	170.50	1.00	0.57						1.72	0.61									
173.50	174.50	1.00	0.71						1.68	0.75									
196.50	197.50	1.00	1.37						5.66	1.50									
204.50	215.00	11.00	1.06						2.69	1.12									
221.50	225.50	4.00	7.17						11.22	7.42									
221.50	222.50	1.00	25.80						37.60	26.66									
227.50	228.50	1.00	1.00						1.89	1.04									
232.50	233.50	1.00	1.13						3.67	1.21									
256.50	257.55	1.05	1.40						1.26	1.43									
261.50	262.50	1.00	0.76						1.69	0.80									
264.50	265.50	1.00	4.85						2.73	4.91									
331.50	338.50	7.00	1.23						1.67	1.27									
343.50	345.50	2.00	0.95						4.17	1.04									
352.50	414.00	61.50	0.71						7.18	0.87									
411.00	412.09	1.09	3.99						43.10	4.97									
428.00	429.00	1.00	0.64						2.18	0.69									
446.00	451.80	5.80	1.40						50.46	2.55									



Table 1: Galway Resources California Assay Result Highlights

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes
GWY-134	135	-60	360.00	8.00	10.00	2.00	0.74		2.77	0.80			Pie de Gallo/NE Gap	
				12.00	13.00	1.00	0.86		0.62	0.87				
				33.00	34.00	1.00	0.52		3.90	0.61				
				37.00	45.00	8.00	1.03		22.77	1.55				
				46.80	47.50	0.70	0.54		7.56	0.71				
				51.50	52.50	1.00	0.59		7.16	0.75				
				62.50	64.50	2.00	1.03		14.75	1.37				
				65.50	66.50	1.00	0.51		15.60	0.86				
				84.50	86.50	2.00	0.73		1.21	0.76				
				88.50	90.50	2.00	1.44		6.65	1.59				
				100.50	101.50	1.00	0.76		12.75	1.05				
				124.50	127.50	3.00	1.38		4.71	1.49				
				132.50	133.50	1.00	0.63		3.01	0.70				
				134.50	135.50	1.00	1.14		2.34	1.19				
				141.50	145.50	4.00	9.31		7.15	9.47				
				including	144.50	145.50	1.00	30.40	6.92	30.56				
				including	152.50	175.50	23.00	1.60	4.16	1.69				
				including	158.50	159.50	1.00	23.50	5.41	23.62				
				177.50	178.50	1.00	0.59		1.62	0.63				
				180.50	181.50	1.00	0.64		2.15	0.69				
				including	187.50	216.50	29.00	1.21	4.18	1.31				
				including	187.50	188.50	1.00	5.29	8.11	5.47				
				including	212.50	213.50	1.00	4.68	17.55	5.08				
				224.50	225.50	1.00	1.82		2.15	1.87				
				230.50	232.50	2.00	3.76		1.77	3.80				
				247.50	253.50	6.00	0.90		0.43	0.91				
				258.50	259.50	1.00	0.58		2.79	0.64				
				270.50	273.50	3.00	0.75		14.27	1.07				
				289.50	296.50	7.00	1.47		11.25	1.73				
including	294.50	295.50	1.00	5.33	9.36	5.54								
GWY-135	135	-60	450.00	105.00	106.50	1.50	0.52		6.29	0.66			Pie de Gallo	
				115.50	116.50	1.00	0.93		2.51	0.99				
				125.50	133.50	8.00	5.85		37.56	6.70				
				129.00	130.00	1.00	41.80		146.00	45.12				
				146.00	147.00	1.00	1.22		1.63	1.26				
				155.00	156.00	1.00	1.02		5.90	1.15				
				158.00	161.50	3.50	0.77		7.14	0.93				
				166.00	167.00	1.00	1.94		1.80	1.98				
				193.00	194.00	1.00	0.82		2.39	0.87				
				197.00	198.00	1.00	0.63		5.33	0.75				
				200.00	201.00	1.00	1.29		58.70	2.63				
				302.00	303.00	1.00	1.00		7.84	1.18				
				331.00	332.00	1.00	0.90		5.90	1.03				
				351.00	358.00	7.00	1.29		34.60	2.08				
				365.00	367.00	2.00	0.69		1.22	0.72				





Table 1: Galway Resources California Assay Result Highlights

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes					
GWY-140	180	-60	282.00	13.50	15.50	2.00	1.10		3.83	1.19			Pie de Gallo						
				24.50	25.50	1.00	0.53	2.30	0.58										
				27.50	32.50	5.00	0.85	7.08	1.02										
				40.50	41.50	1.00	0.65	5.98	0.79	1.07									
				46.50	60.50	14.00	0.82	6.30	0.96										
				66.50	67.50	1.00	1.53	5.22	1.65										
				76.00	83.50	7.50	0.57	8.07	0.75										
				99.50	106.00	6.50	0.73	5.08	0.85										
				149.00	161.00	12.00	1.31	17.70	1.71										
				158.00	159.00	1.00	3.79	13.00	4.09										
				170.00	171.00	1.00	0.54	2.05	0.59										
				185.00	186.00	1.00	1.03	4.50	1.13										
				190.00	198.00	8.00	1.57	6.49	1.72										
				204.00	205.00	1.00	0.76	0.98	0.78										
				207.00	208.00	1.00	0.50	1.53	0.53										
				209.00	216.00	7.00	1.26	3.17	1.33										
				218.00	219.00	1.00	0.80	2.74	0.86										
				227.00	229.00	2.00	1.86	3.13	1.93										
				232.00	233.00	1.00	0.51	2.36	0.56										
				237.00	238.00	1.00	1.08	5.23	1.20										
				242.00	243.00	1.00	1.25	0.96	1.27										
				253.00	254.00	1.00	0.74	4.56	0.84										
				258.50	262.00	3.50	0.71	6.80	0.86										
267.00	269.00	2.00	2.04	3.31	2.11														
279.00	280.00	1.00	9.39	2.51	9.45														
GWY-141	160	-70	450.00	37.50	38.50	1.00	0.65		0.95	0.67			Pie de Gallo/ San Gap						
				159.50	161.50	2.00	1.14	3.67	1.22										
				175.50	176.50	1.00	0.55	3.49	0.63										
				209.50	210.50	1.00	0.71	0.74	0.73										
				272.50	273.50	1.00	0.79	0.61	0.80										
				286.50	287.50	1.00	0.61	17.00	1.00										
				290.50	296.50	6.00	0.71	10.91	0.96										
				304.50	305.50	1.00	0.73	2.96	0.80										
				347.50	348.50	1.00	0.67	4.81	0.78										
				351.50	352.50	1.00	1.89	35.40	2.70										
				430.50	435.50	5.00	3.87	194.94	8.30										
				431.50	432.50	1.00	15.70	825.00	34.46										
				GWY-142	180	-50	222.00	17.50	18.30	0.80	0.53			3.34	0.61			Pie de Gallo	
								19.70	20.50	0.80	6.93	1.70		6.97					
								29.50	65.50	36.00	0.95	7.38		1.12					
39.50	41.50	2.00	4.23					34.73	5.02										
70.50	71.50	1.00	0.56					3.59	0.64										
74.50	75.50	1.00	0.69					6.58	0.84										
80.50	81.50	1.00	0.51					3.65	0.59										
102.50	104.50	2.00	0.50					11.95	0.77										
111.50	113.50	2.00	0.98					3.79	1.07										
122.50	126.50	4.00	1.42					4.64	1.53										
140.50	155.50	15.00	0.77					7.64	0.94										
141.50	142.50	1.00	5.11					25.00	5.68										
186.00	187.50	1.50	0.63					9.16	0.84										
196.10	198.10	2.00	1.70					4.35	1.79										



**Table 1: Galway Resources California Assay Result Highlights**

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes
GWY-143 including  including	160	-80	360.70	187.00	199.50	12.50	5.69		1.68	5.73			Pie de Gallo/ San Gap	
				197.00	199.50	2.50	24.35		1.03	24.37				
				211.50	218.50	7.00	0.76		2.87	0.83				
				228.50	229.50	1.00	0.98		0.62	0.99				
				247.50	258.50	11.00	6.27		0.99	6.29				
				247.50	248.50	1.00	63.70		1.28	63.73				
				263.50	264.50	1.00	0.52		0.84	0.54				
				265.50	266.50	1.00	1.40		0.60	1.41				
				275.50	286.50	11.00	0.95		2.04	1.00				
				306.50	307.50	1.00	0.62		0.92	0.64				
				308.50	327.50	19.00	0.69		3.43	0.77				
				350.50	351.50	1.00	0.88		52.90	2.08				
				357.50	360.70	3.20	1.07		10.04	1.30				
				GWY-144	180	-70	400.00	20.00	22.50	2.50	0.52			4.76
23.50	31.50	8.00	0.79						6.91	0.95				
33.50	35.50	2.00	0.55						6.58	0.70				
51.50	52.50	1.00	0.53						1.86	0.57				
57.50	62.50	5.00	1.65						2.02	1.70				
69.50	111.00	41.50	0.70						1.95	0.74				
71.50	72.50	1.00	6.41						1.83	6.45				
114.50	116.50	2.00	0.73						3.74	0.82	1.03			
131.70	133.50	1.80	0.87						7.72	1.05				
140.50	147.50	7.00	1.03						13.14	1.33				
176.50	191.50	15.00	1.41						13.73	1.72				
185.50	187.50	2.00	4.15						11.75	4.41				
197.50	198.50	1.00	0.79						1.99	0.84				
200.50	204.50	4.00	0.85						2.03	0.90				
224.50	237.50	13.00	1.29						1.78	1.33				
225.50	226.50	1.00	5.77						3.17	5.84				
229.50	230.50	1.00	5.04						1.58	5.08				
248.50	265.50	17.00	0.93						3.11	1.00				
264.50	265.50	1.00	3.49						2.84	3.55				
341.50	379.50	38.00	1.63						7.19	1.79				
341.50	342.50	1.00	8.44						6.75	8.59				
359.50	360.50	1.00	4.61						19.55	5.05				
370.00	371.50	1.50	7.82						3.56	7.90				
375.50	376.50	1.00	4.50						8.18	4.69				
384.50	385.50	1.00	0.70		0.70	0.72								
GWY-145	180	-80	440.00	18.30	20.00	1.70	0.78		7.08	0.94			Pie de Gallo/NE Gap	
				24.00	33.50	9.50	0.92		5.14	1.04				
				28.90	29.50	0.60	3.35		3.72	3.43				
				59.00	61.00	2.00	1.13		2.88	1.19				
				110.00	113.00	3.00	1.04		2.78	1.10				
				132.00	134.00	2.00	1.06		21.50	1.54				
				165.00	166.50	1.50	1.64		5.11	1.76				
				185.50	189.50	4.00	0.90		17.31	1.29				
				219.50	221.50	2.00	81.05		16.68	81.43				
				219.50	220.50	1.00	161.50		27.60	162.13				
				237.00	239.00	2.00	0.58		3.05	0.65				
				245.00	246.00	1.00	2.30		18.65	2.72				
				253.00	254.00	1.00	1.03		23.50	1.56				
				260.50	261.50	1.00	0.87		26.80	1.48				
				266.50	267.50	1.00	0.53		9.75	0.75				
				271.50	272.50	1.00	0.57		7.27	0.74				
				275.50	278.00	2.50	0.82		9.84	1.04				
				286.00	287.50	1.50	0.86		11.55	1.12				
				314.50	315.50	1.00	0.60		6.49	0.75				
				324.50	368.00	43.50	0.75		5.65	0.88				
				387.00	388.00	1.00	0.60		4.88	0.71				
				394.00	411.00	17.00	0.70		14.41	1.03				
				429.00	432.00	3.00	1.14		1.81	1.18				
				438.00	440.00	2.00	5.10		1.44	5.13				
439.00	440.00	1.00	9.56		2.49	9.62								



Table 1: Galway Resources California Assay Result Highlights

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AUEq	Zn %	Cu %	Zone	Notes						
GWY-146	180	-55	450.00	43.00	44.50	1.50	0.61		3.39	0.69			Pie de Gallo/ San Gap							
				50.50	51.50	1.00	0.51	0.47	0.52											
				122.00	123.00	1.00	0.56	32.00	1.29											
				124.00	125.00	1.00	0.51	43.40	1.49											
				126.00	134.50	<b>8.50</b>	<b>12.65</b>	93.50	14.78											
				131.00	133.00	<b>2.00</b>	<b>44.20</b>	32.80	44.95											
				148.00	149.50	1.50	0.85	2.67	0.91											
				160.50	162.50	2.00	0.70	4.60	0.80											
				170.50	172.00	1.50	1.14	1.47	1.17											
				201.50	202.50	1.00	1.37	1.02	1.39											
				268.50	270.50	2.00	1.07	15.68	1.43											
				297.50	298.50	1.00	0.67	20.00	1.12											
				315.50	319.50	<b>4.00</b>	<b>2.71</b>	75.68	4.43	1.07										
				315.50	317.50	<b>1.00</b>	<b>9.08</b>	285.00	15.56	4.23										
				342.50	343.50	1.00	0.55	0.24	0.56											
				405.50	409.50	4.00	1.45	23.91	1.99	2.99										
				438.50	439.50	1.00	0.58	17.15	0.97											
				GWY-147	135	-55	416.05	80.50	88.00	7.50	1.52				4.16	1.61			Pie de Gallo/San Gap	
								82.00	83.50	1.50	4.30	0.96			4.32					
								101.50	102.50	1.00	0.54	6.03			0.68					
113.30	114.00	0.70	4.10					1.10	4.13											
129.50	131.50	2.00	1.55					2.82	1.61											
137.50	138.50	1.00	0.59					0.71	0.61											
139.50	145.50	6.00	1.30					0.35	1.30											
158.50	183.50	<b>25.00</b>	<b>1.65</b>					37.62	2.51											
163.50	164.50	<b>1.00</b>	<b>8.38</b>					104.00	10.75	1.87										
180.50	181.50	1.00	4.57					44.00	5.57											
191.50	211.80	<b>20.30</b>	<b>10.15</b>					160.47	13.80											
194.50	195.50	<b>1.00</b>	<b>31.60</b>					559.00	44.31	2.02										
207.50	208.50	<b>1.00</b>	<b>134.50</b>					<b>740.00</b>	151.33	<b>16.10</b>										
GWY-148	160	-45	208.00					57.50	58.50	1.00	0.57		2.75	0.63			Pie de Gallo			
				74.50	77.00	2.50	0.79	4.12	0.88											
				95.50	112.50	17.00	0.61	14.70	0.94											
				115.70	116.50	0.80	0.60	6.16	0.74											
				117.50	118.50	1.00	0.50	3.56	0.58											
				120.50	121.50	1.00	0.50	1.10	0.53											
				131.50	132.50	1.00	0.94	5.02	1.05											
				139.50	140.50	1.00	0.57	2.17	0.62											
				141.50	143.50	2.00	0.73	10.70	0.97											
				150.50	151.50	1.00	1.05	7.07	1.21											
				156.50	161.50	5.00	0.71	4.39	0.81											
				172.50	174.50	2.00	0.93	3.99	1.02											
				204.50	205.50	1.00	0.57	11.15	0.82											



**Table 1: Galway Resources California Assay Result Highlights**

Hole ID	Azimuth	Dip	Depth (meters)	From (meters)	To (meters)	Intercept (meters)	Au g/t	Previous Au g/t	Ag g/t	AuEq	Zn %	Cu %	Zone	Notes					
GWY-149	180	-65	450.00	35.00	36.00	1.00	6.86		1.16	6.89			Pie de Gallo/ San Gap						
				65.00	66.00	2.00	1.42		5.63	1.55									
				162.50	163.50	1.00	1.11		3.01	1.18									
				166.50	167.50	1.00	0.54		3.86	0.63									
				169.50	172.50	3.00	0.61		4.81	0.72									
				259.50	260.50	1.00	0.95		2.23	1.00									
				265.50	268.50	3.00	1.15		20.77	1.62									
				273.50	276.50	3.00	0.83		9.48	1.05									
				286.50	290.50	2.50	0.76		9.48	0.98									
				325.50	327.00	1.50	0.81		13.55	1.12									
				408.50	409.50	1.00	1.16		14.00	1.48									
				417.50	419.50	2.00	1.45		121.90	4.22									
				438.50	440.50	2.00	0.67		1.75	0.71									
				GWY-150 including	160	-55	255.00	10.00	16.00	6.00	3.77			3.91	3.86			Pie de Gallo	
								13.00	14.00	1.00	10.50			3.78	10.59				
22.00	31.50	9.50	2.18						3.80	2.27									
33.50	34.50	1.00	0.61						6.32	0.75									
37.50	38.50	1.00	1.01						5.10	1.13		1.85							
52.50	56.50	4.00	0.62						4.83	0.73									
74.50	75.50	1.00	0.83						1.81	0.87									
79.50	83.50	4.00	1.86						4.75	1.97									
99.50	110.50	11.00	1.40						16.15	1.77									
including	101.50	103.00	1.50					4.21		20.40	4.67								
including	119.50	124.50	5.00					1.48		4.66	1.59								
including	120.50	121.50	1.00					4.65		6.87	4.81								
138.50	139.50	1.00	0.72						5.04	0.83									
145.50	146.50	1.00	0.70						3.14	0.77									
147.50	153.50	6.00	1.01						3.12	1.08									
170.50	171.50	1.00	4.25						1.14	4.28									
184.50	186.50	2.00	0.57						6.67	0.72									
187.50	188.50	1.00	0.56						3.50	0.64									
207.50	208.50	1.00	3.55						1.84	3.59									
220.50	224.50	4.00	1.65						19.77	2.09									
229.50	230.50	1.00	0.56		2.10	0.61													

Au=gold  
 Ag=silver  
 Zn=zinc  
 Cu=copper  
 g/t=grams per tonne  
 TW=true width  
 VG=visible gold  
 \*Changed due to screen assay result  
 November 17, 2011